



Timestamp	Ref. number	Company name	Country	Type of mask	Mask production capacity offer	Material supply offer	Teating, certification or other service offer	Mask production needs	Material supply needs	Testing, certification or other service needs	Which volume or capacity is your company offering? (n° of mask/week, or tons)	Any other comment
09/07/2020	273	LARISA FACE COVER S.A.	Greece	Medical (surgery)	1.000.000 masks / day		ISO13485;2016, Declaration of Conformity (CE), SGS Test Reports, Certified Raw Materials (non-woven labrics). Production mask TYPE II (BFE>=59%)					
09/07/2020	272	MODATIMKAR TRADING	Turkey	FFP2, Medical (surgery) FFP2, FFP3, Medical (surgery).	Surgical mask : 1 million every 2 weeks		CE, test reports, certifications for all material used in the product					Fabric mask, Surgical masks, Gown, Apron.
09/07/2020 09/07/2020	271	MaskServices.de Velvets s.s.	Czech Republic	Community mask  Community mask	6500 Cartons/ Fortnightly	100% Cotton Antibacterial Woven Fabric Fabrics with antibacterial finish for masks	CE / EN / FDA					Fabric mask, Sungical masks, Gown, Apron, Coveralts, GGloves, Visors, NSS Respirators, 3M masks 1860, 8210, FERN 03324
09/07/2020 25/06/2020	289	Evteks Ltd.	Czech Republic Turksy	Community mask Community mask	25,000 pcs a day	Pabrics with antibacterial firsts for makes  Antibacterial, Antiviral Cotton material, Antibacterial PU costed fabric	Test on 100% Cotton ISO 18184 Virus Test (Hohemstein), and Antibacterial Tests (SGS) available. TSE599 in Processa					We provide 100% Cotton products with our own cottented technology EOC.
25/06/2020	268	Comfy Angel	Republic of North Manadonia	Community mask	500.000pcs monthly capacity for masks	3 layers of Polypropylene -20,35,20gam	CE Certificate					DESIFIED SECTIONAL COL.
25/06/2020	267	Brocare - DEDEDSO Services AG	Germany			Medical Melblown: BFE>95%; >98%; >99%; 25grim*etc.						We guarantee a constant supplychain with a great quality-level. Please contact us or visit us on https://presignoises.de/
25/06/2020	266	WELTA S.A	Greece	FFP2, FFP3, Medical (surgery), Community mask		FLAT AND ROUND ELASTICS	our products are made in compliance with several quality standards: Oako-Tex, ISO					
25/06/2020	265	Pasmatex SA	Romania			we supply a wide range of textile elastics and tapes	our products are made in compliance with several quality standards: Oeko-Tex, ISO 9001					elastic and tapes suitable for all types of masks and coveralls
						PP MELTBLOWN (95%-92%) Any grammage betwen 20gam-90gam on normal mask widths (i.e.: 0,175m) Colour White. 1 week manufacturing ETD in FOB TERMS.						
25/06/2020	264	RC FIL NON-TEX SLU	Spain	FFP2, FFP3, Medical (surgery)			MELTBLOWN 25 gam (BFE99 EN148832019) / OEKO TEX and REACH Certificate for PP SPUNBOND					
15/06/2020	263	DAF SPORT LTD	Bulcaria	Medical (surgery)	20000 pcs per day	PP SPUNBOND WHITE or MEDICAL BLUE (Any Grammage/ Width) 4 week delivery FOB Terms	All needed certificates					
15/06/2020	262	INTER PROSPERY LTD	Bulgaria	Medical (surgery)	20000 per day		All needed certificates					We also offer nitril, latex and viril gloves high quality with all certificates
15/06/2020 15/06/2020	261	FASHION SUPPLY PLTD	Bulgaria Bulgaria	Medical (surgery) Medical (surgery), Community	20000 per day 300 000 masks production capacity per day		all certificate by EU laboratory Test report and CE certificate from notify body lab according to the European Community of Certificate from the profile of the Certificate from the Certificate for all profiles and the Certificate for					
15/06/2020	259	Frontelo	Spain	Community mask	50,000 masks per week	We offer 1 layer of certified mask printed with beautiful and exclusive patterns. Reusable up to 55 washes at 60°	all certificate by EU laboratory  Test report and CE certificate from notify body lab according to the European  Commission list. Certificates for all materials used for the croduction as well.  It complies with the specification UNEO055 2020. Tests performed according to UNE-  EN14635.2019-4AC2019 Standards. In conformity with the European directive about					
08/06/2020	258	Simões, Correia e Filhos - Mahas e Correccões. Lda	Portugal	Community mask	10000 per week	temperature. Certified 100% polyester. Stylish protection	sanitary products CEE 783/42 CERTIFIED MASK					
08/06/2020	257	II InSpe	Lithuania	FFP2, Medical (surgery)	3ply masks - 3 000 000 permonth, ffp2 - 2 500 000 per month	Melt Blown /spunbond fabric for mask production	EN14683:2019 / EN149:2001+A1:2009					we can produce the package with you design , were halfornesses over
02/06/2020	258 255	Imase Wear Ov Chantelle Lingerie GmbH	Finland	Community masks	2000 masks/day 5.000 up to 12 million pcs	masks made of 100% cotton which is callo tax certified	They have been tested and approved by the DGA (Direction Générale de					
02/06/2020	254	Maximum SAS	France	Medical (surgery)	Surgical Mask EN 14683 type II, 100 000 / week, below 0,50 6/mask	THE RESIDENCE OF THE PROPERTY	FArmement - French Ministry of the Armed Forces) for Category 1 (French neculation). Our masks are reusable & weshable!					
02/06/2020	253 252	Botany Weaving Mill Ltd.	Ireland	Community mask Medical (surgery), Community	Mask 10000 a week/ gown 5000 a week	polyester and poly/cotton						
02/06/2020	252	IBB GmbH	Germany	mink	Production of masks 5000 pieces daily Mask 500000 units per week		The material meets the requirements of DIN NORM EN 14683					
02/06/2020	251	FSM - Industria de confecções, SA	Ponugal	Community mask	Mask 500000 units per week 30000 gewes/week 50000 gewes/week 50000 coversita/week 60000 heading/sirenis/week 60000 heading/sirenis/hoe coverings leadings 2 weeks after coder							
02/06/2020	250	Arida GmbH	Switzerland & Liechtenstein	FFP2, FFP3, Medical (surgery), Community mask	We can supply big quantities		CE, Niosh, Tür,FDA					
02/06/2020	249	Sovedem NV	Belaium	Community mask	Masks offers from minimum of 5.000 pcs up to 10.000.000 pcs	cotton PP & PE BICO Spurbond nonwovens for medical applications and for suspical masks: laminuses for e-minutes	NBN/DTD S 65-001:2020					
02/06/2020	248	Tessiture Pietro Radici Spa	Italy	Medical (surgery)		cotton PP & PE BICO Spuribond increases for medical applications and for surgical masks, laminates for surgical govers, complying with LNI EN 14128-2004 PP and PE nonecovers - PP+PE faminates and surgical govers	Oeko-tex, ISO9001; ISO14001, ISO 45001					
02/06/2020	247	PHP Fibers GmbH	Germany			oowns Silicone coated PA 88 fabric, based on 235, 350 or 470 dbax. Total weight including coating is between 180 to 300 a/m². Capacity up to 10.000 Ins/morth.						
02/06/2020	246	Internetscape LTD	United Kingdom	Medical (surgery)	1,000,000 surgical mask/month				All material for surgical mask required: Melt Blown, Soundbound, Noise clip, Ear loops	EN 14683 type IIR		
02/06/2020	245	PrintWest Agency	Germany	FFP2, Community mask		Pulypropylare non-secon fabric, skin fearoth, suitable for medical applications and control of the control of the control of the Basic sea material opportunistic (Portugues 12-30 g / err.). Price depands on the grammage Fabre efficiency (Portugues 12-30 g / err.). Price depands on the grammage Fabre efficiency (Portugues 12-30 g / err.). Price depands on the grammage Width 17.5 control of the control on control of the control of	Test Report directly from Merufacturar					
02/06/2020	244	Rollbetch Dr Magdelene Leebs	Germany United Kineston	FFP2, Medical (surgery), Community mask	up to 50 mln surgical masks and up to 1 mln FFP2 masks per month. Custom-made production from commissioned material 1 million made imports	Mult Blown fabric for mask production	DCA (Consent Direction of Armemore in France) testers - nationary 1					
2585/2020 2585/2020	242	LENERA Id.	Bulgaria	FFP2, FFP3, Medical (surgery), Community masks		elastics straps, wire for masks	yes					
25/05/2020	241	Immanus Protuval Támais R & Heliotextil	Portugal	Community mostles electrics suitable for all types of Masks and Face Shields	240 - Wh made nor morth	Make 90011 14 We supply a wide range of textile accessories. Under HELIOCEsercine Order we have elastics suitable for all types of Makes and Face Shedats, either plain or consomitable. Our products are made in compliance with several quality standards, namely: Celeb-Textil Standard 100 – level 1 and NF ENISO 3001.	86570000 Clares Brownell					To know more about our products visit us at were helioteral com or send us an email to generi@helioteral.com.
25/05/2020	239	FNDMT Unipersoal Lda	Portugal	FFP2, Community masks	250000 daily 25000 per week, 5 layera masks (norwoven), 2 layera hydrophobic	FFP2 / IIR / Community Masks - all made in EU more infos hare https://www.dropbox.com/sh/12/9io1e/szpwwsb/AAA-	Certification available more infos hare https://www.dropbox.com/ahf2j4io1e8zpwweb/AAA- glaC_Okt_pRf4xDqcDraa7des0					
25/05/2020	238	Meria Metas S.L.	Spain	Community masks	polpropilen 40g/m2+2 layers spurisoce 44 g/m2+1 layer hydrophobic polpropilen 20g/m2		UNE 0084-12020, UNE 0084-2:2020 Testad on AITEX. With partormance requirements of EN 14683-2019+AC 2019 standard for surgical masks points 5.2.2, 5.2.3 and 5.2.4 type IIR.					
25/05/2020 25/05/2020	237 236	Available Lusury - Uno. LDA Irmaos Jotes II Unio. Lda	Portusii Portusii	Medical (surgery) FFP3	2500 per week, 5 layers meaks (norwoven), 2 layers hydrophobic poliproplen 40ghrd+2 layers spuriase 44 ghrd+1 layer hydrophobic poliproplen 20ghrd 170.000 masks oer dav Production of branded/printed hygiene reusable face masks made	community mask TNT % polipropilano 120ars/m2	nº4282/2020 CITEVE					we need help to export our masks.
25/05/2020	235	BND-Textile Ltd.	Bulgaria	Community masks	Production of branded/printed hygiene reusable face masks made of Polyester and Cotton with 2 or more layers - Production capacity: 5000-10000pcs daily or weekly depending on the model and design.		The products are accompanied by test report for safety (according to EU standards) from accredited certified laboratory.					Reusable and machine washable at up to 100 C degrees as part of disinfection. Do not bleach. Design/logo is usually provided by the client.
25/05/2020	234	OPRO International Ltd	United Kingdom	FFP2, FFP3, Medical (surgery)					4 tennes per month of spun bond and melt blown fabric	Test facility for FFP2 and FFP3 masks		
25/05/2020	233	Simões, Correia e Filhos - Mahas e Confecções, Lda.	Portugal	Community masks	We have capacity to produce 25000 mask/week	We have capacity to produce 25000community masks/week	certified by standard EN14893.2019 and ISO9237.995					We are able to offer reusable community masks certified by standard EN14683:2019 and REYSDREAM
25/05/2020	232	Evrensel Grup Ltd Şti	Turkey	Medical (surgery)	Mask: 10.000.000 Day		A					
25/05/2020 25/05/2020	231	Yurukhan Teksti	Turkay Romania	FFP2, FFP3, Medical (surgery) Medical (surgery), Community masks	100 000 per week	30 grams sporbord	yes we have					We are a clothes manufacturer from Turkey with 20 years experience. My e-mail address is: sale libron shandales com.
	230	Gabrielle's women			500000	Polipropilena bbc InoCure offers non-woven textile as filtration material for	NU.					
25/05/2020		InoCure s.r.o.	Czech Republic	FFP2, FFP3, Community masks	20k - 35k pieces per day	InoCuse offers non-woven textile as filtration material for production of the face masks and respirators or protection clothing	lab examination certification  They have been tested and approved by the DGA (Direction Gainleate de-					
25/05/2020	228	Chantelle Lingerie GmbH  Gerber Technology	Germany	Community masks  CAD Software and Automated	5.000 up to 12 million pcs	masks made of 100% cotton which is only tex certified	They have been tested and approved by the DOA (Direction Gánáslak de Farmeners - French Ministry of the Armed Forces) for Category 1 (Farnch reclassion). Current search search search search search search search We offer CAD and Custing automated Solutions sight from the conception until the final product, which was specific for the PEF production. We help comparises to state the search search					Please check our PPE Reproling Parkage under
14/05/2020		-		CAD Software and Automated Cutting Solutions for Apparel			product, which are specific for the PPE production. We help companies to start the PPE production within one week.					Please check our PPE Ratcoling Package under www.gebetechnology.com/cov/d19 Our companie group is as well able to produce machanery, tools and produce plastic parts, metall
12/05/2020	226	HAPPICH CZ s.r.o.	Czech Republic	Metallic files, insulation files, accustic files, anti-side-files nose clip for face masks (endicas	no mask production	Metallic files, insulation files, acoustic files, anti-slide-files						machenery, tools and produce plastic parts, metall nexts and develop produce plastic parts, metall
11/05/2020	225 224	Hushoco GmbH, Wuppertal	Germany	nose clip for face masks (endless belt) FFP2, FFP3, Medical (surgery)		ALU, Stainless steel, coated steel  Elastic Tapes	ISO 14001, ISO 50001, ISO 9001, IATF16949					
08/05/2020 08/05/2020	224	Asystil Tekstil Neobution GmbH	Turkey	belti FFP2, FFP3, Medical (surgery), Elastic Taoes FFP2, Community Masks (3-layer mask)	100,000 FFP2 and 400,000 3-layer masks in stock	Elastic Tapes	CE Certification available					
08/05/2020 08/05/2020 08/05/2020	222 222 221	SALGADO & NETO. SA	Portugal Turkey	FFP3	100.000 PPP2 and 400.000 3-layer masks in stock over 750.000/week	TNT	YES					
08/05/2020	220	Serbit Listik M&P FLOW CORPORATION	Spain	elastic band FFP2, FFP3, Medical (surgery), Gloves. Protective Glasses	100	Masks, Gloves, Protective Glasses and Protective Suits	CE, FDA					
08/05/2020	219	FNDMT Unipersonal Lida	Portugal	FFP2, FFP3, Medical (surgery), MEDICAL MASKS N95 CE Centified	1mio	fmio	N35 CE Certified Mask Standard EN 149 2001 +A 1:2009 Related to CE Directive R 2016/425					
08/05/2020	218	EFSANE BAYRAK SANAYI TİCARET I İMİTEN SİRKETİ	Turkey	FFP2, THREE LAYER MASK- PROTECTION OVERALLS	1500000 ONE DAY	50000000 MONTHLY						
08/05/2020	217	The Power House	Germany	FFP2, FFP3, Medical (surgery), N25 CE Centified	1mio	1mio	N35 CE Certified Mask Standard EN 149 2001 +A 1:2009 Related to C Disorbic					
08/05/2020	216	ENDYSI GYNAIKAS SA - BADOO	Greece	N95 CE Centiled  GENERAL PURPOSE COTTON  MASK 100%	10,000 PER DAY		Related to CE Directive R 2016/425 (Personal Protective Equipment)					
6885/2626	215	Varies confection	France		10000 niene ner dev	Not consided	Nex					
08/05/2020	214	BITNEX LTD	Bulgaria	FFP2, 3-PLY HYGIENIC MASKS FACE SHIELDS	100,000 3-PLY MASKS A DAY;5000 FACE SHIELDS A DAY		OEKO-TEX CERTIFICATES;MANUFACTURER CE CERTIFICATION			MASKS ARE THE SAME AS MEDICAL, BUT STILL WAITING FOR CERTIFICATE		CPS.19 consists of basic and hamiles-
08/05/2020	213	VEB 2012 Ltd	Bulgaria	Personal protection sanitary face shield with polyester visor	2000 shields per day							CPS-19 consists of basic and harmless materials - polypropylene brace, elastomer band and coolvester with 100% visibility visor.
08/05/2020	212	PLF - MEIAS E COLLANTS, LDA	Portugal	Community Masks. Woven Elastic Cords, Woven elastic ribbons and other taxelle accessories for mask making industry. FFP2	7000un/dav	Polyamid/Elastan  Elastic for masks. Woven Elastic Cords, Woven elastic	Testing and certification procedure will need to be issunched  Testing application or other continue of the Colon by Manufaccia appropriate	yam polvamid/etastan	varn polyamidielastan	Testino and certification procedure will need to be teunched		
07/05/2020	211	GLOBALELASTIC SL	Spain	other textile accessories for mask making industry	5000 metres/day	Elastic for masks. Woven Elastic Cords, Woven elastic ribbons and other textile accessories for mask making industry	Testing, certification or other service offer: Cele-tex, Non allergic composition, confortability and elongation specific for the making of masks					
06/05/2020	210	Pro Street Medical	Netherlands	FFP2	3000000 per month	Masks without or with BREATHABLE VALVE	Certified by CE and FDA					



## Disci

By submitting the form, the submitter have agreed to make publicly available the information provided. The sole responsibility on the information

FUTURE		1				100% PP normovem needle punched fabric, 115 g/m2 with perminerar aetbuchridi (blinkr bisend) addrive suitable for the production of fisce masks for repeated use. Artificaterial efficiency of the fabric and thus masks is 80.5% sociording to AATCC TH 100. PP stople fabric with artificaterial addrive (silver bisend) for romovovin testals production in different dax and cut length					
06/05/2020	209	Martin Budzak	Slovak Republic	Certified general public face masks with antibacterial properties for repeated use	500.000 pcs/week	the production of face masks for repeated use. Artibacterial efficiency of the fabric and thus masks is 98.5% according to AATOC TM 100.	Accredited laboratories and Certification body for general public face masks testing (but not according to EN 14633 nor EN 149).				For our continous material development we are interested in co-operation with nonwoven fabric and fare marks profugers
				for repeated use		PP staple fibers with antibacterial additive (silver based) for nonwoven textile production in different data and cut length	(but not according to EN 14663 not EN 149).				face masks producers.
06/05/2020 05/05/2020	208	VISATEX Hevtex Bramache GmbH	Spain	Medical (surgery) Makeshift Mouth-Noise-Mask	20,000 units x day 5000 per day	Cot 100%: birmbur non woven 10000m² per week	vis. according LINE 0064 and LINE 0065				
	207	Heviex Bramsche GmbH	Germany		5000 per day	10000m foer week			Supplier of fabrics which like to increase hydrophobicity in some cases also the filter		
05/05/2020	206	Cost-X	Switzerland & Liechtenstein	Hydrophobic coating for all type of masks		Hydrophobic coating of 10'000 - 40'000 masks / day Upscale is possible.		Supplier of masks which like to increase hydrophobicity and in some cases also the filter performance	pytorophocicity in some cases also the little performance.  We are also looking for suppliers of Damask fabrics or microfibre fabrics to create community masks.		
				E 4000 0000 F00 F40F		Elastic cord for manufacture of face masks, for surgical	Cardinate Cale. Tay 981981 Close I &n 4		or microfibre fabrics to create community masks.		
05/05/2020	205	LAKIDAIN by ENCAJES LAQUIDAIN	Spain	ELASTIC CORD FOR FACE MASKS, GOWNS, CAPS/HATS and others.		gowts and capsa, and other appacasons. Available in reutrie white color and other standard colors. Elasticly: 170%. Yother % elasticity under demands. Technichal Data Sheet	Conforme Aniexe XVII Reglament REACH LATEX FREE / LIBRE DE LATEX				
	204		Switzerland &			Elastic cord for manufacture of face masks, for surgical govers and cispal, and other applications. Available in results white color and other standard colors. Elasticly, 170%, (John Y. Salasticity under demand), Technical Data Sheet and orices uson resulast. we have stand maintain and like to share the inxights as we as find materials of airstillar type to make masks for the six find materials of airstillar type to make masks for the					
04/05/2020	204	PM	Liechtenstein	community mask		as find materials of similar type to make masks for the community	offering rapid testing for filtration effiency and breathability!		looking for the materials characterized	certification is a need	Salan Cartificatos for Mortical Devines, Car mask
04/05/2020	203	AKIN MEDIKAL	Turkey	Medical (surgery), THREE LAYER SURGICAL MASK WITH EARLOOPS	Stock: no. 200.000 - The production capacity can reach 2 million masks per week.						Sales Certificates for Medical Devices- Our mask are in the norm of EC DECLARATION OF CONFORMITY - ISO 9001:2015- ISO 13485-2016
1084/2020	202	Groupe CIOA	France	Medical (surpery)					1T per month meltblown and other non woven fabric		13485:2016 own production/production with customer's
29/04/2020	201	Piros LTD	Bulgaria	protective face mask (3-ply/2ply)	5000 daily 25 000 weekly	3-ply re-usable protective face masks from woven or non- woven material for adults and kids	not certified yet		need certified fabric for FFP2 masks	need an authorized lab for tests	materials able to source OEKO-TEX fabrics
				(NOVERTICAL PROPERTIES )	2.1 GOD WEEKLY						materials sible to source OEKO-TEX fabrics Linguages: English, German, French, Greek piros-bo.com
29/04/2020	200	Dalkin Chemical Europe GmbH	Germany	FFP2, FFP3, Medical (surgery)	wide range of repellent chemicals	"Non-Fluorinsted Durable Water Repetients (PFC-Free), Fluorinsted Dit & Water Repetient					chemical products to treat nonwoven and woven medical fabrics with a fluid repellent finish for the
						(PFC) chemicals*					usage in protective masks.
									1 Nose bridge of mask -length per piece: 100MM, Remerko: pleatic or Vive, suggest wis with pleate Zear loop -length per piece: 300MM, Remerko: One side: 150°2-200mm 350 Non-seven deep color-Outer side 350°2-200mm - material widers: 109-200MM - material widers: 109-200MM - length per piece: 20 piece - material widers: 109-200MM - length per piece: 170MM		
									2ear loop -length per piece: 300MM; Remarks: One side:		
									150"2::300mm 3SS Non-woven deep color-Outer side material weight 25 nint		
									meterial width : 195-200MM - length per piece: 175MM		
									<ul> <li>weight per piece: 0.875G</li> <li>Remarks: color with green, blue, black and son or</li> </ul>	n	Planning to produce surgical masks in an industrial scale here in Greece, so the products for which we would like to product the
29/04/2020	199	Active Business Services S.A.	Greece	Medical (surgery)					mislamii widh: 195-200MM  length per piece: 175MM  weight per piece: 0.875G  Ramaiks: codo with spean, black and son or  White Meitblown non-verven-Fitter layer  material weigh: 22ptd  material widh: 175-100MM		aforementioned info are fixed as needs. Because of the scale of the planned production,
											Planning to produce surgical masks in an industrial scale here in Gineca, so the products for which we sould like to request he aforementioned into are issed as needs. Becazase of the scale of the planned production, we are settinding that we will be producing around 3 million surgical masks per month, and the volume of our order will be a bit higher than the estimated production.
									weight per piece 0.639G     Remarks: Level of filtration: 90%, 95%, 93.93% (please provide us a price for the different levels if		the volume of our order will be a bit higher than the estimated production.
									svaliable) 5 SS Light color or white non-woven-inner side		
									- material width: 21 0MM - length per piece: 175MM		
									pratise provises as a price for the centerest severa is invalidable).  5 SS Light color or white non-woven-inner side material weight 25 g/sh — material weight 25 g/sh — length per place. 173MM — weight per place. 173MM — weight per place. 2187SG — Romeitor, can use 20g (please specify if 25g is.		
											Inchine for companies which offer themasuluse
29/04/2020	198	Altin Mici	Albania	FFP2,FFP3	1000 per day	we offer production from design, to cutting, sewing, packaging and delivery			all materials provided by the ordering company	certification provided by the ordering company, we offer only implementation of the order	looking for companies which offer themeselves the right material to produce masks, they can send the sample of masks, we do it accordingly
29/04/2020 27/04/2020	197	ITECom Mag-Plant	Poland Poland	Medical (surgery) FFP2, Medical (surgery), N25	2 million per month 10-20 million masks per month				Melt Blow, Spunbond, Elastic band, wire for masks		Language: Polish, English, German. Contact person: Jozef Niewinski
27/04/2020	195	Crocus ES IPL Bulgaria Ltd.	Lithuania	FFP2. Medical (surgery)	5000000 unlimited	three-layer teotile protective masks for adults and children designed as per the requirements of Groupement Hospitalie de Territoire Grand Paris Nord-Est	CE EN149:2001 + A1:2009				
27/04/2020		1	Bulgaria	protective hygiene/sanitary masks		designed as per the requirements of Groupement Hospitalie de Territoire Grand Paris Nord-Est					
27/04/2020 27/04/2020	193 192	OMEKS Redhateh Dr Mandalana Lasha	Slovenia	protective medical mask. FFP2 Martinal (sumery) NSS	1 million pcs monthly 1 200 000 cominal masks nor day	No Mail Rinan Snanhood alastic Rand - resentities on recessor	EN 14883				
27/04/2020	191	JADEX CHEMICAL INDUSTRY	Turkey	FFP2, Medical (surgery), protective medical missis, FFP2: Maerinal (surmenn) MMS, Medical (surgery), 3 Layers Medical (surgery) Medical (surgery)	We produce 3 layers medical masks 300,000 pcs per day in Turkey	s.	CE certificate and other all necessary certificates are available for masks.				We can provide 3 layers of the medical mask to all of the European countries.
24/04/2020	190	BRU textiles	Belgium	FFP2, Medical (surgery)	+25 000 000 Disposable Medical face masks (175°95) (EN14683) +11 000 000 Filterino FacePiece Particula (FFP2) (EN146)	Type N25			Melt blown		
						Woven fabric					
						Melt Blown Filter					
						Type N05 Woven fabric Mult Blown Filter Non woven fabric					
24/04/2020	189	Splendid Productions B.V.	Nerherlands	FFP2, Medical (surgery)	1,000,000 per day (product in stock and available immediately)		NBS: NOSH, FDA, CE. CNMPA Approval for export NNB: GB1536-2006, CNMPA Approval for export				Our company currently governments: Hotland & Canada with the production and sourcing of PPE
24/04/2020	189	Splendid Productions B.V.	Notherlands	FFP2, Medical (surgery)	1,000,000 per day (product in stock and available immediately)		NOS: NIOSH FDA, CE. CNMPA Approval for export IONS: GET/828-2006, CNMPA Approval for export				Our company currently governments: Holland & Canada with the production and souncing of PPE
24/04/2020	189	Splendid Productions B.V.	Nacharlands	FFP2, Medical (surgery)	1,000,000 per day (product in stock and available immediately)	Type KN6S Flace layer PP Non-Woven SQs[m2 Flace layer PP Mobern Bloom 2 x 25g/m2 - eloctrostatic Custion: Layer PP 30g/m2 State Layer PP 30g/m2 PP Product size Colorms x 10g/mm in Vision 10g/m2 Flace Layer PP 30g/m2 Flace Sqs Mobern x 10g/mm					Our company currently governments: Hollard & Careada with the production and sourcing of PPE
24/04/2020	188	SCHOLPP GmbH	Northerlands  Germany			Met Blown Filter How revoem failer  Type INDS Face liney FP Han-Worsen Signin2 Face liney FP Han-Worsen Signin2 Face liney FP Han-Worsen Signin2 Face liney FP Han-Worsen Signin2 Face Liney FP Han-Worsen Face Liney FP Han-	Not. MODR FDA. CE. CRABFA Approval for export Note: CRETER 2006. Chabff A Approval for export Note: CRETER 2006. Chabff A Approval for export Applications of Machines, Relacation of Machines for the Purplacetion of machine Equilibration, American desire and Communication of Machines Sections on American Section (American Section Sec				Our company currently governments Helland & Canada with the production and sourcing of PPE
					1,000,000 per day (product in stock and available immediately)	Type KN6S Flace layer PP Non-Woven SQs[m2 Flace layer PP Mobern Bloom 2 x 25g/m2 - eloctrostatic Custion: Layer PP 30g/m2 State Layer PP 30g/m2 PP Product size Colorms x 10g/mm in Vision 10g/m2 Flace Layer PP 30g/m2 Flace Sqs Mobern x 10g/mm			non-worse materials to produce a 3-byer single-use obsection mask for sex 100,000 marks our dw		Our company currently governments: Holland & Clareds with the production and sourcing of PPE
2484/2020 2384/2020 2284/2020	188	SCHOLPP GrabH STRUBL GrabH & Co. KG Fashion Supply PLTD	Germany		100.000 pcs. par day 200.000 molika par day	Type KN6S Flace layer PP Non-Woven SQs[m2 Flace layer PP Mobern Bloom 2 x 25g/m2 - eloctrostatic Custion: Layer PP 30g/m2 State Layer PP 30g/m2 PP Product size Colorms x 10g/mm in Vision 10g/m2 Flace Layer PP 30g/m2 Flace Sqs Mobern x 10g/mm			non-soven materials to produce a 2-days single-use and the control of the control		Our company currently governments: Holland & Coneds with the production and sourcing of PPE
2484/2020 2384/2020 2284/2020 2184/2020	188 187 186 185	SCHOLPP GmbH STRUBL GmbH & Co. KG Fashion Supply PLTD Alssco Scholore SRL	Germany Germany Bulgaria Romania		100.000 pcs. per day	Typa NNDS Fina layer PP New-Woven Stignin2 Fina layer PP Makes (blown 2 x 25g/m2 - eluctrostatic Fina layer PP Makes (blown 2 x 25g/m2 - eluctrostatic Base Layer PPDG/m2 Product size (Storm x 150mm Paler performance 170mm Paler performance 170mm Relacionation of Machinery for Production, Relacions of existence coincides	Insulation of Machinas, Relocation of Machinas for the Production of medical Equipment, medical scales and components. Also in pharms—disarrooms		non-worst makrisk to produce a 3-layer single-cas settledon makr for year 100,000 makes set der		Our company careful governments: Helland & Coreda with the production and sourcing of PPE
24842626 23842626 22842626 21842626 21842626 21842626	188 187 186 183 183	SCHOLPP GrabH STRUBL GrabH & Co. KG Fisishon Supply PLTD Alesco Subdom SRL OFindamentO AMSTERPLAST INTERNATIONAL	Germany Germany Budgaria Romania Ponagal Hangary	Mudical (surgery), single use Mouth-sed rose crosscion mask. Mudical (surgery), TYPE II protection according to EN Medical Conversion of EN Medical (surgery) FEPQ_FEPS	100.000 pcs. par day 200.000 molika par day	Type NOME P New Yorken Organic Flow have PP New Yorken Spirit Flow have PP New Home 12 x 25/3/12 x shortweate: Construction of New Yorken Spirit Flow Home Spirit Flow Spirit	Invalidation of Machines, Publication of Machines for the Production of medical Estatement, which is the product of medical Estatement, whose is therein consenses.  Cit., too reports, conflications for all material used in the product.  Yes  required medic Classic confliction products available on distracted.		no-worse malarish to produce a 3-layer angle, can extend neak for any 100,000 reads and dor		Our company currently governments: Holland & Creads with the production and sourcing of PFE
2484/2020 2384/2020 2284/2020 2184/2020 2184/2020 2184/2020 2184/2020	188 187 186 185 183 184 182	SCHOLPP Grabh STRURL Crebt & Cr. KG Fauton Supply KD Fauton Supply RR Alaco States RR CF-ustainen/CO MASTERPLAST INTERNATIONAL SPT SPT GROUP	Germany Germany Bulgaria Romania Pomanja Hungary Soan	Nacical (incepty) simple use Morth-and near strandormank Medical (unpry). TYPE II protection according to EN 14683-2015 stendard Medical (surporri) FFPC, FPP3. Medical (surporri) FFPC, FPP3. Medical (surporri)	100.000 pcs. par day 200.000 molika par day	Type More PP Nan-Wissen Klighted Film Ivan PP Nan-Wissen Klighted Film Ivan PP Nahme Stemen 2 x Spigit2 - shortweated: Nan-Layer PP Spigit2 Policia Sant Layer PP Spigit3 Nan-Layer	Securities of Machinea, Releasing of Machinea for the Productor of medical Educations of medical and compresses. Also in rhomes described as and compresses. Also in themse described in CE, was reports, conflictations for all material used in the product.  Yes		non-moun malarish to produce a 2-layer single-one messection mess for our 100,000 resolution or direction.		
2484/2020 2384/2020 2284/2020 2184/2020 2184/2020 2184/2020 2184/2020 2184/2020	188 187 186 185 183 184 182	SCHOLPP GmbH STRUSS GmbH Co KG Fashon Supply RTD Alexon Subders SRL OffurdamentO MANT FERVLAST RIFEMATIONAL SPERGENS Adoltona Management GmbH Adoltona Management GmbH	Germany Germany Budgaria Romania Ponagal Hangary	Medical (surgary), single use Mode- and nose strolection mank production according to EN 46482-2019 savested Medical (surgary) PEPE, PEPE, Medical (surgary) FEPE, PEPE, Medical (surgary)	100.000 pcs. par day 200.000 molika par day	Type More PP Nan-Vironn Rights Fall Name PP Nan-Vironn Rights Fall Name PP Name Name PP Name P	Invalidation of Machines, Publication of Machines for the Production of medical Estatement, which is the product of medical Estatement, whose is therein consenses.  Cit., too reports, conflications for all material used in the product.  Yes  required medic Classic conflicted products available on distracted.		non-moun materials to produce a 3-layer arigh-sea motection mask for sex 100,000 masks are dev		Or company committy governments: National & Consists with the production and scienting of PPE Consists with the production and scienting of PPE Consists with the production and scientific and the production of the Park Consists of the Park
24947220 23847220 22847220 21847220 21847220 21847220 21847220 21847220	188 187 186 185 183 194 182 181	SCHOLPP CINEN STRUKE, GREMA C.o. KG FRINCH Spelly PLTD Alexes Subdems SRL O'Redensori WITEFFALT THE FRANTIONAL WITEFFALT THE FRANTIONAL WITEFFALT AND ENGINEER ACCIONATE MANAGEMENT CIVIL CONTROL AND ENGINEER GREMA STRUKEN	Germany Germany Bidgerie Romania Pontugal Hungany Solen Selected and & Lischanstein Italy	Medical (surgary), angla use Mosh-and rose protection mask Medical (surgary), TYPE II SCHESS 2019 Selected Medical (surgary) PEPE, EPPS, Medical (surgary) Medical (surgary) Medical (surgary) Medical (surgary) Medical (surgary)	100.000 pcs. par day 200.000 molika par day	Type Node P Nac-Viron Opini2 Flow law PP Nac-Viron Opini2 Flow law PP Nach Thomas 2 x 25/912 - shortweaks Flow Law PP Nach Thomas 2 x 25/912 - shortweaks Flow Law PP Nach Thomas 2 x 25/912 - shortweaks Flow Law PP Nach Thomas 2 x 25/912 - shortweaks Flow Law PP Nach Thomas 2 x 25/912 - shortweaks In State Law PP Nach Thomas 2 x	Invalidation of Machines, Publication of Machines for the Production of medical Estatement, which is the product of medical Estatement, whose is therein consenses.  Cit., too reports, conflications for all material used in the product.  Yes  required medic Classic conflicted products available on distracted.		non-month materials to produce a 2-byer single-sea extension mask for are 100,000 masks on der		for ENANCED TEXTLE MADE providing visions by the law series will interested an extraction of the law series and the contraction of the contraction
24847020 23847020 22847020 21847020 21847020 21847020 21847020 21847020 21847020	188 187 186 185 183 194 182 181 180	SCHOLPP Quiet STRUIK General Co KO Feshen Supply PLTD Alexe Studens SRL MAST ENFANCE STRUMATIONAL SRF GROUP SRF GROUP And SRF GROUP And SRF GROUP And SRF GROUP And SRF GROUP And SRF GROUP And SRF GROUP And SRF GROUP	Germany Germany Bulgaria Romania Pontagal Hungany Soam Switzerland & Lie chamatelan Islay Germany	Nacinal (surpey), single one Mouth of four entraction mask. Medical (surpey), or to me entraction mask. Medical (surpey), or to me entraction secondly to EN Medical (surpey) or EFP2, FPP3. Medical (surpey) FFP2, FPP3. Medical (surpey) FFP2, FPP3, Medical (surpey) FFP2, FPP3, Medical (surpey) FFP2, FPP3, Medical (surpey) FFP2, FPP3, Medical (surpey), AN Medical (su	100.000 pcs, per day 200.000 make per day 200.000 make per day 200.000 make per day 200.000 make per day and days days days days departing on the model and dates.	Type More PP Nan-Vironn Rights Fall Name PP Nan-Vironn Rights Fall Name PP Name Name PP Name P	Invalidation of Machines, Publication of Machines for the Production of medical Estatement, which is the product of medical Estatement, whose is therein consenses.  Cit., too reports, conflications for all material used in the product.  Yes  required medic Classic conflicted products available on distracted.		non-mount malarials to produce a 3-layer single-case vertication mask for any 100,000 masks and der		
24842000 23842000 22842000 21842000 21842000 21842000 21842000 21842000 21842000 20842000	188 187 186 180 183 184 182 181 180 170	SCHOLPP Center  SCHOLPP Center  Fauter Spays PLTD  Alexe Studens SRL  Alexe Studens SRL  MATERIALST ATERNATIONAL  WAS TERMAN  Authorized Management Center  Cannot States  Authorized Management Center  Cannot States  Authorized Management Center  ETELIK  ETELIK	Germany Germany Bidgerie Romania Pontugal Hungany Solen Selected and & Lischanstein Italy	Medical (surgary), angla use Mosh-and rose protection mask Medical (surgary), TYPE II SCHESS 2019 Selected Medical (surgary) PEPE, EPPS, Medical (surgary) Medical (surgary) Medical (surgary) Medical (surgary) Medical (surgary)	100.000 pcs, per day 200.000 make per day 200.000 make per day 200.000 make per day 200.000 make per day and days days days days departing on the model and dates.	Type Only Two Works Signite Fine layer PP Nature Sizes 2 2 2555 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Invalidation of Machines, Publication of Machines for the Production of medical Estatement, which is the product of medical Estatement, whose is therein consenses.  Cit., too reports, conflications for all material used in the product.  Yes  required medic Classic conflicted products available on distracted.	Too knote cutting availables, just laser cutting (now 50%).	protection mask for also 100,000 masks over dev		for ENANCED TEXTLE MADE providing visions by the law series will interested an extraction of the law series and the contraction of the contraction
2464/2020 2364/2020 2364/2020 2164/2020 2164/2020 2164/2020 2164/2020 2164/2020 2164/2020 2064/2020	188 187 186 185 183 194 182 181 180 179 176	SCHOLEP Guster STROBE General Co. KO Fashen Registy N. TO Access Students SRL Christopers SRL	Germany Germany Bidgiris Romanis Pomagil Hungary Soain Soain Soain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain	Medical (progray), kingle size Mode and processor control mode and Mode and processor control mode and Mode and processor control mode and Mode and prograph PEPS, FFPS, Medical (prograph) FFPS, FFPS, Medical (prograph) FFPS, FFPS, Medical (prograph) Medical (prograph) Medical (prograph) Medical (prograph) Medical (prograph) Medical (prograph) Medical (prograph)	100.000 pcs. par day 200.000 molika par day	Type Only Two Works Signite Fine layer PP Nature Sizes 2 2 2555 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Invalidation of Machines, Platecidan of Machines for the Production of medical Ensulance, studied wildles and commonweal, below the termina clearrooms.  CIT, text reports, conflications for all material used in the product.  Yes  Yes  On a special results Clears conflict products available on demand.  CIT CERTIFICATION.	Na Livide costing availables, just been costing from 50% costion content of fairing	non-construction to produce a 3-bayer tright-set construction make for sex 100,000 makes and devi- action make for sex 100,000 makes and devi- action make for sex 100,000 makes and devi- action makes for sex 100,000 makes and devi- action for makes for sex 100,000 makes and devi- action for makes for sex 100,000 makes and devi- action for makes for sex 100,000 makes and devi- action for sex 100,000 makes		for ENANCED TEXTLE MADE providing visions by the law series will interested an extraction of the law series and the contraction of the contraction
24,642000 238,42200 238,42200 21,642200 21,642200 21,642200 21,642200 21,642200 21,642200 20,642200 20,642200 20,642200 20,642200	188 187 186 185 183 184 187 181 180 179 178	SCHOLPF GMAN STRUIL GMAN AC KO Fallon Begin PLTD Fallon Begin PLTD Fallon Begin PLTD Fallon Begin PLTD Fallon Begin PLTD Fallon Begin PLTD Fallon Begin PLTD Fallon Begi	Germany Germany Bidgiris Romanis Pomagil Hungary Soain Soain Soain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain	Saludia (I propos) - Single con- lidadia (I propos) - Single con- lidadia (I propos) - Single con- lidadia (I propos) - Single con- sisted (I propos) - Single con- lidadia (I propos) - Single con- sidera (I propos) - Single con- lidadia (I propos) - Single con- lidadia (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos)	100.000 pcs, per day 250.000 makes be an elay 250.000 makes be an elay 250.000 makes be an elay 250.000 makes be an elay 250.000 pcs day deparating on the model and bancs  Laser colling, yearing and aspertiliphose or provided one makes into a 100.000 pcr was been an appendicular, production leads in Profession and Impacts  Asset colling, seving and aspertiliphose or provided one makes into Profession and appendicular, production leads in Profession and Impacts	Type Note: PP Nan-Vision (Spin)2 Filter layer PP Nahm (Smin 2 x Spin)2 - shortweate. Filter layer PP Nahm (Smin 2 x Spin)2 - shortweate. Name Spin (Smin 2 x Spin)3 - shortweate. Name Spin (Smin 2 x Spi	Invalidation of Machines, Publication of Machines for the Production of medical Estatement, which is the product of medical Estatement, whose is therein consenses.  Cit., too reports, conflications for all material used in the product.  Yes  required medic Classic conflicted products available on distracted.	No love cuting models, jot here ruting jour 50% cotton conserve of federa)	netection mask for sex 100,000 masks and der sex 100,000 masks and der sex 100,000 masks and der sex 100,000 masks and design and des provided administration		for ENANCED TEXTLE MADE providing visions by the law series will interested an extraction of the law series and the contraction of the contraction
2464/2020 2264/2020 2264/2020 2164/2020 2164/2020 2164/2020 2164/2020 2164/2020 2064/2020 2064/2020 2064/2020 2064/2020 2064/2020	188 187 186 188 189 189 189 189 189 189 189 189 189	SCHOLEP Guest STRUEL Genera Co. KG Frahnon Speep PKTD Annes Studenera SRL OFFudenera SRL OFFUDENERA STREENANT COMM. SRI GROCEP Accinoma Namagement Code1 General Places Unidana Groch ETBIAL STRUEL ST	Germany  Germany  Bulgaria  Bulgaria  Francasia  Francasia  Francasia  Germany  Spain  Formagal  Germany  Spain  Francasia	shedod (propps), striple see Multi-ball from an one-claim roaks Multi-ball from an one-claim roaks Market (propps) in Peril 1988 Market (propps) in Peril 1988 Market (propps) PPP, PPPS Multi-ball towards (PPP, PPS) Multi-ball towards (PPP, PPS) Multi-ball towards (PPP, PPS) Multi-ball towards (PPP, PPS) Multi-ball towards (PPP, PPS) PPS Multi-ball towards (pps) (PPS) PPS Multi-ball towards (pps) (PPS) PPS Multi-ball towards (pps) (PPS) PPS Multi-ball towards (pps) (PPS) PPS Multi-ball towards)	100.000 pcs, per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 per day day day andreg on the model and date.  Laser ruffling, seeding and assembly hased on provided ma- manimize 1.000 per and based on spenfulders, production dates in Profession of Principles of Principles 250.000 masslability (supply) - 2500 masslability (PPT2)	Type More PP Nan-Visions Organiz Flow lawer PP Nan-Visions Organiz Flow lawer PP Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated Special - shortweated American Stage 2 Special - shortweated Special - shortweat	Invalidation of Machines, Platecidan of Machines for the Production of medical Ensulance, studied wildles and commonweal, below the termina clearrooms.  CIT, text reports, conflications for all material used in the product.  Yes  Yes  On a special results Clears conflict products available on demand.  CIT CERTIFICATION.	Too hold coulting anniabile, just laster coding (rose 50% orders consent of idelicy)	protection mask for also 100,000 masks over dev	warrag for BYE-BYE and browtholding for both casegory of makes FFPS and surgical	for ENANCED TEXTLE MADE providing visions by the law series will interested an extraction of the law series and the contraction of the contraction
24,642000 238,42200 238,42200 21,642200 21,642200 21,642200 21,642200 21,642200 21,642200 20,642200 20,642200 20,642200 20,642200	188 187 186 185 183 184 187 181 180 179 178	SCHOLPF GMAN STRUIL GMAN AC KO Fallon Begin PLTD Fallon Begin PLTD Fallon Begin PLTD Fallon Begin PLTD Fallon Begin PLTD Fallon Begin PLTD Fallon Begin PLTD Fallon Begi	Germany Germany Bidgiris Romanis Pomagil Hungary Soain Soain Soain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain Salain	Saludia (I propos) - Single con- lidadia (I propos) - Single con- lidadia (I propos) - Single con- lidadia (I propos) - Single con- sisted (I propos) - Single con- lidadia (I propos) - Single con- sidera (I propos) - Single con- lidadia (I propos) - Single con- lidadia (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos) - Single con- sidera (I propos)	100.000 pcs, per day 250.000 makes be an elay 250.000 makes be an elay 250.000 makes be an elay 250.000 makes be an elay 250.000 pcs day deparating on the model and bancs  Laser colling, yearing and aspertiliphose or provided one makes into a 100.000 pcr was been an appendicular, production leads in Profession and Impacts  Asset colling, seving and aspertiliphose or provided one makes into Profession and appendicular, production leads in Profession and Impacts	Type Only Two Works Signite Fine layer PP Nature Sizes 2 2 2555 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Invalidation of Machines, Platecidan of Machines for the Production of medical Ensulance, studied wildles and commonweal, below the termina clearrooms.  CIT, text reports, conflications for all material used in the product.  Yes  Yes  On a special results Clears conflict products available on demand.  CIT CERTIFICATION.	No tode cuting models, just leave cuting joint 50% cotton consec of fathers)	netection mask for sex 100,000 masks and der sex 100,000 masks and der sex 100,000 masks and der sex 100,000 masks and design and des provided administration	Nating for BYS-PYE and invashability for both case gary of masks FFP2 and suspect	the ENPANCED TETRE SMESS, providing classified by country by the color later with entercolor because to the model byte. The color later was because the color of the model byte. Or any other was provided byte and the color of t
2464/2020 2364/2020 2364/2020 2144/2020 2144/2020 2146/2020 2146/2020 2146/2020 2146/2020 2064/2020 2064/2020 2064/2020 2064/2020 2064/2020	188 187 188 188 188 188 188 188 188 188	SCHOLPF GMAN STRUIS. GMAN AC & KO Fallon Begin Pr. TD Fallon Begin Pr. TD Fallon Begin Pr. TD Fallon Begin Pr. TD Fallon Begin Pr. TD Fallon Begin Beg	Germany  Germany  Bulgaria  Bulgaria  Francasia  Francasia  Francasia  Germany  Spain  Formagal  Germany  Spain  Francasia	Section of property study one study and section many. Medical property 17-192 in Medical property 17-192 in Medical property 17-192 in Medical property 17-192 in Medical property 17-192 in Medical property 17-192 in Medical property 17-192. FFF3. Medical property 17-192. FFF3. Medical property 17-192. FFF3. Medical property 17-192. FFF3. Medical property 17-192. FFF3. Medical property 17-192. FFF3. Medical property 17-192. FFF3. Medical property 17-192. FFF3. Medical property 17-192. Medical property 17-192. FFF3. Medical property 17-192. FFF3. Medical property 17-192. FFF3. Medical property 17-192. FFF3. Medical property 17-192. Medical property 17-192. FFF3. Medical prope	100.000 pcs, per day 250.000 mass for early 250.000 mass for per day 250.000 mass for per day 250.000 mass for per day 250.000 mass for per day 250.000 per day departing on the model and bases  Lases colling, swing and assembly hased on provided ma- materials: as 100 per week based on specification production laters in Private and an assembly hased on production laters in Private and an assembly hased on production laters in Private and an assembly hased on production laters in Private and an assembly hased on production laters in Private and an assembly hased on production laters in Private and an assembly hased on production laters in Private and assembly hased on production laters in Private and assembly hased on production laters in Private and Assembly hased on production laters in Private and Assembly hased on production laters in Private and Assembly hased on production laters in Private and Assembly hased on production laters in Private and Assembly hased on production laters in Private and Assembly hased on production laters in Private and Assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly has a seminary has a semina	Type More PP Nan-Visions Organiz Flow lawer PP Nan-Visions Organiz Flow lawer PP Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated Special - shortweated American Stage 2 Special - shortweated Special - shortweat	Invalidation of Machines, Platecidan of Machines for the Production of medical Ensulance, studied wildles and commonweal, below the termina clearrooms.  CIT, text reports, conflications for all material used in the product.  Yes  Yes  On a special results Clears conflict products available on demand.  CIT CERTIFICATION.	No bodie costing models by jost laser cuting jose 50%, coton curease of fallers).	netection mask for sex 100,000 masks and devices the sex of the se	Nating for BPERFE and investedity for both casegory of makes FFP2 and scapical	the ENPANCED TETRE SMESS, providing classified by country by the color later with entercolor because to the model byte. The color later was because the color of the model byte. Or any other was provided byte and the color of t
24842000 228420000 228420000 218420000 218420000 218420000 218420000 218420000 218420000 208420000 208420000 208420000 218420000 218420000 218420000 218420000 218420000 218420000 218420000 218420000 218420000 218420000 218420000 218420000 218420000 218420000	188 187 188 188 189 189 189 189 189 189 189 189	SCHOLEP Gussel STRUEL General Ca KO Frahen Sperjik TTD Annes Studiese SRL OFFIcations SRL OFFIcations SRL OFFIcations SRL OFFIcations SRL OFFICATION SIP (SRC) Control National Annesses Annesses Annesses Ombit STEINE Carlei S. A. TSRACE NO SA Omerican U. Lie Omerican U. Lie Omerican U. Lie Omerican U. Lie Omerican U. Lie AND TEXT NOCOTTRES S.R.L. LSK Themsade Ltd.	Germany Germany Studynia Studynia Studynia Hangui H	Sandard European South reasons Sandard Supposit South Reasons Maded Engages STPE 21 Sandard South Reasons Sandard South Reasons Sandard South Reasons Sandard South Reasons FFEZ FFEZ Sandard Survayors FFEZ SECOND SURVAYORS FFEZ SANDARD SURVAYORS FFEZ SAN	100.000 pcs, per day 250.000 mass for early 250.000 mass for per day 250.000 mass for per day 250.000 mass for per day 250.000 mass for per day 250.000 per day departing on the model and bases  Lases colling, swing and assembly hased on provided ma- materials: as 100 per week based on specification production laters in Private and an assembly hased on production laters in Private and an assembly hased on production laters in Private and an assembly hased on production laters in Private and an assembly hased on production laters in Private and an assembly hased on production laters in Private and an assembly hased on production laters in Private and assembly hased on production laters in Private and assembly hased on production laters in Private and Assembly hased on production laters in Private and Assembly hased on production laters in Private and Assembly hased on production laters in Private and Assembly hased on production laters in Private and Assembly hased on production laters in Private and Assembly hased on production laters in Private and Assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly hased on private and assembly has a seminary has a semina	Type More PP Nan-Visions Organiz Flow lawer PP Nan-Visions Organiz Flow lawer PP Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated Special - shortweated American Stage 2 Special - shortweated Special - shortweat	Invalidation of Machines, Platecidan of Machines for the Production of medical Ensulance, studied wildles and commonweal, below the termina clearrooms.  CIT, text reports, conflications for all material used in the product.  Yes  Yes  On a special results Clears conflict products available on demand.  CIT CERTIFICATION.	Some additional machinary	netection mask for sex 100,000 masks and der sex 100,000 masks and der sex 100,000 masks and der sex 100,000 masks and design and des provided administration	warrag for BYEPFE and invashebility for both case gary of makes FFP2 and surgical	for ENANCED TEXTLE MADE providing visions by the law series will interested an extraction of the law series and the contraction of the contraction
2464/2020 2264/2020 2264/2020 2164/2020 2164/2020 2164/2020 2164/2020 2164/2020 2164/2020 2064/2020 2064/2020 2064/2020 2064/2020 2064/2020 2064/2020	188 187 188 185 183 194 182 181 180 179 178 178 177 177 177	SCHOLPP Ontols STRUEL General Co. NO Fashers Supply PLTD Annes Stations Stit. Off-redemend Annes Stations Stit. Off-redemend Annes Stations Stit. STITE STATIONAL AND STATIONAL AND STATIONAL STRUCTURE STATIONAL STRUCTURE And STATIONAL STRUCTURE STATIONAL STRUCTURE STATIONAL STRUCTURE STATIONAL ST	Germany  Germany  Bulgaria  Bulgaria  Francasia  Francasia  Francasia  Germany  Spain  Formagal  Germany  Spain  Francasia	Section of the property of the section of the secti	100.000 pcs, per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 per day depending on the model and date.  Laser culting, seeing and assembly hasted or provided are massimal or 1000 per and based on spendindon, production are an in-formation delivery of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the 250.000 massim	Type More PP Nan-Visions Organiz Flow lawer PP Nan-Visions Organiz Flow lawer PP Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated Special - shortweated American Stage 2 Special - shortweated Special - shortweat	Invalidation of Machines, Platecidan of Machines for the Production of medical Ensulance, studied wildles and commonweal, below the termina clearrooms.  CIT, text reports, conflications for all material used in the product.  Yes  Yes  On a special results Clears conflict products available on demand.  CIT CERTIFICATION.		netection mask for sex 100,000 masks and der  danc raw materials need to be provided, packaging could be proceed advisionmently material for production of FFF2 masks and Surgical materials and sex packaging of the sex p	Nating for SPERFE and invashedibly for both casegory of master FFP2 and suspend	the ENPANCED TETRE SMESS, providing classified by country by the color later with entercolor because to the model byte. The color later was because the color of the model byte. Or any other was provided byte and the color of t
2464/2020 2364/2020 2364/2020 2164/2020 2164/2020 2164/2020 2164/2020 2164/2020 2164/2020 2064/2020 2064/2020 2164/2	188 187 188 188 188 188 188 188 188 188	SCHOLPF Green STRUIS Green A Co KO Faston Sperjy R.TD Faston Sperjy R.TD First Green St. First	Germany Germany Studynia Studynia Studynia Hangui H	Section of the property of the section of the secti	100.000 pcs, per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 per day depending on the model and date.  Laser culting, seeing and assembly hasted or provided are massimal or 1000 per and based on spendindon, production are an in-formation delivery of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the 250.000 massim	Type More PP Nan-Visions Organiz Flow lawer PP Nan-Visions Organiz Flow lawer PP Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated: Nan-Visions Stage 2 Special - shortweated Special - shortweated American Stage 2 Special - shortweated Special - shortweat	Invalidation of Machines, Platecidan of Machines for the Production of medical Ensulance, studied wildles and commonweal, below the termina clearrooms.  CIT, text reports, conflications for all material used in the product.  Yes  Yes  On a special results Clears conflict products available on demand.  CIT CERTIFICATION.	Some additional machinary	netection mask for sex 100,000 masks and der  danc raw materials need to be provided, packaging could be proceed advisionmently material for production of FFF2 masks and Surgical materials and sex packaging of the sex p	swing for BPE-PPE and travaledity for both causigny of make FPP2 and trapted	the ENPANCED TETRE SMESS, providing classified by country by the color later with entercolor because to the model byte. The color later was because the color of the model byte. Or any other was provided byte and the color of t
2464/2020 2264/2020 2264/2020 2164/2020	188 187 188 189 189 189 189 189 189 189 189 189	SCHOLEP Guest STRUKE Genera Co KO Frahnon Speep PKTD Frahnon Speep PKT	Germany Bulgaria Bulgaria Bonneria	Section of the property of the section of the secti	100.000 pcs. per day 250.000 mass are year day 250.000 mass are year 250.000 mass are year 250.000 mass are year 250.000 mass are year 250.000 mass are year 250.000 mass are year 250.000 per day depending on the model and 250.000 mass are year 250.000 per wash based on specification, production 250.000 mass between year and specification, production 250.000 mass are year and year 250.000 mass are year 250.000 mass are year 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.00000 per wash based on specification, production 250.00000 per wash based on specification, production 250.00000000000000000000000000000000000	Type More PP Non-Wissen Schipfel  Filter lawer PP Non-Wissen Schipfel  Filter lawer PP Non-Wissen Schipfel  Filter lawer PP Non-Wissen Schipfel  Filter lawer Schipfel  Filter  Filter Schipfel  Filter  Filter Schipfel  Filter	Invalidation of Machines, Relocation of Machines for the Production of medical Ensaments, sound to while a reference control and control a	Some additional machinary	netection mask for sex 100,000 masks and der  danc raw materials need to be provided, packaging could be proceed advisionmently material for production of FFF2 masks and Surgical materials and sex packaging of the sex p	waxay for BYEPFE and invashedility for both casegory of masks FFP2 and surgical	the ENPANCED TETRE SMESS, providing classified by country by the color later with entercolor because to the model byte. The color later was because the color of the model byte. Or any other was provided byte and the color of t
2464/2020 2304/2020 2304/2020 2304/2020 2104/2020 2104/2020 2104/2020 2104/2020 2104/2020 2104/2020 2004/2020 2004/2020 2004/2020 2004/2020 2104/2020	188 187 188 189 189 189 189 189 189 189 189 189	SCHOLEP Guest STRUKE Genera Co KO Frahnon Report PATO Frahnon Report PATO Frahnon Report PATO Frahnon Report PATO Frahnon Report PATO Frahnon Report PATO Frahnon Report PATO Frahnon Report PATO Frahnon Report PATO Frahnon Report PATO Francis Fran	Germany Bulgaria Bulgaria Bonneria	Andred (organ), striple can Model and reason smoothers and Model and reason smoothers and Model and reason smoothers Model and reason smoothers Model and reason Model and reason Model and reason Model and report Model and Report Model and Repor	100.000 pcs, per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 per day depending on the model and date.  Laser culting, seeing and assembly hasted or provided are massimal or 1000 per and based on spendindon, production are an in-formation delivery of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the period of the 250.000 massimal period of the 250.000 massim	Type More PP Non-Wissen Schipfel  Filter lawer PP Non-Wissen Schipfel  Filter lawer PP Non-Wissen Schipfel  Filter lawer PP Non-Wissen Schipfel  Filter lawer Schipfel  Filter  Filter Schipfel  Filter  Filter Schipfel  Filter	Invalidation of Machines, Relocation of Machines for the Production of medical Ensaments, sound to while a reference control and control a	Some additional machinary	netection mask for sex 100,000 masks and der  danc raw materials need to be provided, packaging could be proceed advisionmently material for production of FFF2 masks and Surgical materials and sex packaging of the sex p	waiting for BYERFE and broadwailing for both category of masks FFF2 and surgical	the ENPANCED TETRE SMESS, providing classified by country by the color later with entercolor because to the model byte. The color later was because the color of the model byte. Or any other was provided byte and the color of t
2464/2020 2364/2020 2364/2020 2164/2020	188 187 188 189 189 189 189 189 189 189 189 189	SCHOLPF GMAN STRUIS, GMAN AC A KO Fallon Begin PA. TO Fallon Begin PA. TO Fallon Begin PA. TO ACT ACT ACT ACT ACT ACT ACT ACT ACT ACT	Germany Bulgaria Bulgaria Bonneria	Andred (organ), striple can Model and reason smoothers and Model and reason smoothers and Model and reason smoothers Model and reason smoothers Model and reason Model and reason Model and reason Model and report Model and Report Model and Repor	100.000 pcs. per day 250.000 mass are year day 250.000 mass are year 250.000 mass are year 250.000 mass are year 250.000 mass are year 250.000 mass are year 250.000 mass are year 250.000 per day depending on the model and 250.000 mass are year 250.000 per wash based on specification, production 250.000 mass between year and specification, production 250.000 mass are year and year 250.000 mass are year 250.000 mass are year 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.0000 per wash based on specification, production 250.00000 per wash based on specification, production 250.00000 per wash based on specification, production 250.00000000000000000000000000000000000	Type One Per Name Visions Signitize Fine Inser PP Name Visions Signitize Fine Inser PP Name Visions 2 x 2 signitize - shortweake Fine Inser PP Name Visions 2 x 2 signitize - shortweake Fine Insert I	Institution of Machines, Relocation of Machines for the Production of medical Estudents, such as the control of medical Estudents, Alberty Informer, Cale of City, and the Commission of City, and the Commission of City, and the Commission of City, and the Commission of City, and the Commission of City, and	Some additional machinary	netection mask for sex 100,000 masks and der  danc raw materials need to be provided, packaging could be proceed advisionmently material for production of FFF2 masks and Surgical materials and sex packaging of the sex p	swing for BYERFE and investigating for both causigary of masks FFP2 and scapical	the ENPANCED TETRE SMESS, providing classified by country by the color later with entercolor because to the model byte. The color later was because the color of the model byte. Or any other was provided byte and the color of t
2464/2020 2364/2020	188 187 188 188 188 188 188 188 188 188	SCHOLEP Gustel STRUEL General Co. KG Frahnon Report PATTO Frahnon Report PATTO Frahnon Report PATTO Frahnon Report PATTO Frahnon Report PATTO General PATTO General PATTO General PATTO General PATTO General PATTO General PATTO General PATTO General PATTO General PATTO General PATTO General PATTO General PATTO General PATTO GENERAL FRANCIS GENERAL MATTO GENERAL FRANCIS GENERAL GENE	Germany Bulgaria Bulgaria Bonneria	Andread Engryph Shiph case Made of Engryph Shiph case Made of Engryph Shiph case Made of Engryph Shiph case Made of Engryph Shiph case Made of Engryph Shiph case Made of Engryph Made of Engryph PERFORMATION PERFORMATION PERFORMATION Made of Engryph PERFORMATION Made of Engryph PERFORMATION Made of Engryph PERFORMATION Made of Engryph PERFORMATION Made of Engryph PERFORMATION Made of Engryph PERFORMATION Made of Engryph PERFORMATION Made of Engryph PERFORMATION Made of Engryph PERFORMATION MADE OF Engryph Made of Engryph PERFORMATION MADE OF ENGRYPH PERFORMATION MADE OF ENGRYPH MADE O	105.000 pcs, per day 250.000 mass are made and specified or the model and service of the model o	Type More PP Nature Science 2 2 Signitir - shortwards: Filter lawer PP Nature Science 2 2 Signitir - shortwards: Filter lawer PP Nature Science 2 2 Signitir - shortwards: Read Layer PP PSIGNITIR - Signitir - shortwards: Filter spring nature control of Nature Professional Control of Nature 1 Signitire Cont	Socialization of Machines, Relocation of Machines for the Production of marked final action of the Machines and confirmed final action of the Machines of the American Cit., was reported, conflictations for all material used in the product.  Yes  for quested material Coultes-conflicted products available on dishmand Cit. CERTIFICATION  SMIGHTS.	Some additional machinary	netection mask for sex 100,000 masks and der  danc raw materials need to be provided, packaging could be proceed advisionmently material for production of FFF2 masks and Surgical materials and sex packaging of the sex p	warrag for BPE-PPE and invasheding for both casegory of makes FPP2 and surgical	the ENPANCED TETRE SMESS, providing classified by country by the color later with entercolor because to the model byte. The color later was because the color of the model byte. Or any other was provided byte and the color of t
2484/2000 22464/2000 22464/2000 21464/2000	188 187 188 188 188 188 188 188 188 188	SCHOLEP Gustel STRUKE, General Ca. KG Frahen Report PATO Frahen Report PATO Annes Studensen St. Christopher St. Christopher St. Christopher St. St. Christopher St. St. Christopher St. St. Christopher St. Ch	Germany Bulgaria Bulgaria Bonneria	Andred (organ), striple can Model and reason smoothers and Model and reason smoothers and Model and reason smoothers Model and reason smoothers Model and reason Model and reason Model and reason Model and report Model and Report Model and Repor	100.000 pcs, per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 per day depending on the model and date.  Laser coffing, seeing and assembly hased or provided mar marked as 100.000 per day depending on the model and date.  250.000 mass per day assembly hased or provided mar marked as 100.000 per day date days of fundamental 250.000 mass hased on spendindom, production dates to reflect the date of the days of the days of the days 250.000 mass per days of the days	Type More PP Nature (Squitz) Filter layer PP Nature (Squitz) Filter layer PP Nature (Squitz) Filter layer PP Nature (Squitz) Filter layer PP Nature (Squitz) Filter layer PP Nature (Squitz) Filter layer (Squitz) Filter la	Invalidation of Machines, Relocation of Machines for the Production of medical Extensions, sound to tables and construents. Also in others conserved of the second to table and construents. Also in others conserved of the second to table and the second to table and table and table and tables and tables and tables and tables. The second table and tables are desired for the second table and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables are desired tables. The second tables are desired tables and tables are desired tables and tables are desired tables. The second tables are desired tables and tables are desired tables and tables are desired tables.	Some additional machinary	netection mask for sex 100,000 masks and der  danc raw materials need to be provided, packaging could be proceed advisionmently material for production of FFF2 masks and Surgical materials and sex packaging of the sex p	waiting for BYERFE and branchability for both category of makes FFF2 and surgical	the ENPANCED TETRE SMESS, providing classified by country by the color later with entercolor because to the model byte. The color later was because the color of the model byte. Or any other was provided byte and the color of t
24640000 23640000 23640000 236400000 2164000000 2164000000 2164000000 2164000000 2164000000000000000000000000000000000000	188 187 188 188 187 188 188 188 188 188	SCHOLPF Green STRUBS Green'S Co. KG Fashon Specify RTG	Germany  Committy  Badgais  Badgais  Badgais  Banness  Findingid  Antagay  Sown  Committy  Sown  Fundingid  Antagay  Sown  Fundingid  Antagay  Sown  Fundingid  Antagay  Fundingid  Antagay  Fundingid  Fundingid  Fundingid  Fundingid  Fundingid  Fundingid  Fundingid  Germany  Sown  Sown  Fundingid  Germany  Sown	Inductor for property striple sees Mandator for property striple sees Mandator and State of the	190.000 pcs. par day 220.000 mass par day 220.000 mass par day 220.000 mass par day 220.000 mass par day 220.000 mass par day 220.000 mass par day 220.000 por day departing on the model and lakes  Lakes rading, seeing and assembly based on provided mass dates in Protected and Enterview dates to Protected and Enterview 220.000 mass particular dates to Protected and dates to Protected and Enterview 220.000 mass particular dates to Protected dates to Protected and Enterview 220.000 mass particular dates to Protected dates to Protected and Enterview 220.000 mass particular dates to Protected dates to Protected and Month Section Disparets on product (1.6.—from static dates—co. 40.0000a) 220.000 production coupoids par day 220.000 production coupoids par day	Type Money Por Nature (Norman Original Flow lawer Por Nature (Norman Original Flow lawer Por Nature (Norman Original Flow lawer Por Nature (Norman Original Nature (Norman Original Norman Original Political Nature (Norman Original Nature (Norman Original Norman Original Nature (Norman O	Socialization of Machines, Relocation of Machines for the Production of marked final action of the Machines and confirmed final action of the Machines of the American Cit., was reported, conflictations for all material used in the product.  Yes  for quested material Coultes-conflicted products available on dishmand Cit. CERTIFICATION  SMIGHTS.	Some additional machinary	netection mask for sex 100,000 masks and der  danc raw materials need to be provided, packaging could be proceed advisionmently material for production of FFF2 masks and Surgical materials and sex packaging of the sex p	swing for BYE-BYE and traveledity for both caugary of make FFP2 and trapted	for ENANCED TEXTS E MADE providing charmonly for the older law distincted seamers by the older law distincted seamers by the older law of the made law of the made law of the made law of the made stocks on well as for mass production for small seeks on well as for mass production for small seeks on well as for mass production for small seeks on well as for mass production for small seeks of the made law of the mass production for small seeks of the manufacture of th
2464/2000 2364/2000 2364/2000 2364/2000 2164/2000	188 187 188 188 188 188 188 188 188 188	SCHOLPF Grant STRUIS Grant A Co KO Faston Specify R.T.D Faston Specify R.T.D Faston Statemen SR. Fine Statemen SR. Fine Statemen SR. Fine Statemen SR. Fine Statemen SR. Fine Statemen SR. Fine Statemen SR. Fine Statemen SR. Fine Statemen SR. Fine Statemen Grant Statemen SR. Fine Sta	Germany  Commany  Badgaira  Rangaira   Indicate (Imperp), striple case Models and prices are considered in many Models and prices are considered in many Models and prices are considered in many Models (Imperp) Mod	100.000 pcs, per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 mass per day 250.000 per day depending on the model and date.  Laser coffing, seeing and assembly hased or provided mar marked as 100.000 per day depending on the model and date.  250.000 mass per day assembly hased or provided mar marked as 100.000 per day date days of fundamental 250.000 mass hased on spendindom, production dates to reflect the date of the days of the days of the days 250.000 mass per days of the days	Types More PP Nature Storms (19) and 19 Natu	Invalidation of Machines, Relocation of Machines for the Production of medical Extensions, sound to tables and construents. Also in others conserved of the second to table and construents. Also in others conserved of the second to table and the second to table and table and table and tables and tables and tables and tables. The second table and tables are desired for the second table and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables are desired tables. The second tables are desired tables and tables are desired tables and tables are desired tables. The second tables are desired tables and tables are desired tables and tables are desired tables.	Some additional machinary	netection mask for sex 100,000 masks and der  danc raw materials need to be provided, packaging could be proceed advisionmently material for production of FFF2 masks and Surgical materials and sex packaging of the sex p	wadrug for BYE PYE and invasheding for both category of makes FFP2 and surgical	the ENPANCED TETRE SMESS, providing classified by country by the color later with entercolor because to the model byte. The color later was because the color of the model byte. Or any other was provided byte and the color of t	
24.64/2000 2264/2000 2264/2000 2166/2000 2166/2000	188 187 188 189 189 189 189 189 189 189 189 189	SCHOLEP Gustel STRUEL General Ca KG Frahen Sperigh TTD Frahen Sperigh TTD Annes Studiese SRL OFFIcial Control Control SPI GROLE SPI GROLE AND TERMINATIONAL SPI GROLE AND TERMINATIONAL SPI GROLE TERMINA Gustel SPI GROLE SPI GRO	Germany  Commany  Studgets	Indicate Company), While Income Market and Company), While Income Market and Company), The East Market and Company), The East Market and Company FFFS, FFFS, Market in Company Market and Company Market in Compan	190.000 pcs. par day 220.000 mass par day 220.000 mass par day 220.000 mass par day 220.000 mass par day 220.000 mass par day 220.000 mass par day 220.000 por day departing on the model and lakes  Lakes rading, seeing and assembly based on provided mass dates in Protected and Enterview dates to Protected and Enterview 220.000 mass particular dates to Protected and dates to Protected and Enterview 220.000 mass particular dates to Protected dates to Protected and Enterview 220.000 mass particular dates to Protected dates to Protected and Enterview 220.000 mass particular dates to Protected dates to Protected and Month Section Disparets on product (1.6.—from static dates—co. 40.0000a) 220.000 production coupoids par day 220.000 production coupoids par day	Type More PP Non-Window Glopin2 Filter lawer PP Non-Window Glopin2 Filter lawer PP Non-Window Glopin2 Filter lawer PP Non-Window Glopin2 Filter lawer See See See See See See See See See S	Invalidation of Machines, Relocation of Machines for the Production of medical Extensions, sound to tables and construents. Also in others conserved of the second to table and construents. Also in others conserved of the second to table and the second to table and table and table and tables and tables and tables and tables. The second table and tables are desired for the second table and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables are desired tables. The second tables are desired tables and tables are desired tables and tables are desired tables. The second tables are desired tables and tables are desired tables and tables are desired tables.	Some additional machinary	netection mask for sex 100,000 masks and der  danc raw materials need to be provided, packaging could be proceed advisionmently material for production of FFF2 masks and Surgical materials and sex packaging of the sex p	Nating for BYE-BYE and Insulhability for both collegacy of males FYP2 and surgical	to EXPANCED TEXTLE EAGLE providing charactery to the outer law definencedual seasons in the outer law definencedual seasons in the outer law definencedual reasons in the outer law definencedual control services on seal on for manus various to manus various to manus various to manus various control services.  This have automated coding is decoming another law definencedual for promotion for manus various and outpress to design promotions for general losses provided to the promotion for general losses provided to the promotion for general losses provided to the promotion for general losses provided to the provided to the provided to the promotion for general losses provided to the provided to th
2464/2020 2364/2020	188 187 188 188 188 188 188 188 188 188	SCHOLPF Green STRUBL Green A Co. KO Fathers Report PATE Fathers Struber of Struber Fathers Struber of Struber Fathers Struber of Struber Fathers Struber of Struber Fathers Struber Fathers Fa	Germany  Committy  Badgais  Badgais  Badgais  Banness  Findingid  Antagay  Sown  Committy  Sown  Fundingid  Antagay  Sown  Fundingid  Antagay  Sown  Fundingid  Antagay  Fundingid  Antagay  Fundingid  Fundingid  Fundingid  Fundingid  Fundingid  Fundingid  Fundingid  Germany  Sown  Sown  Fundingid  Germany  Sown	Indicate Company), While Income Market and Company), While Income Market and Company), The East Market and Company), The East Market and Company FFFS, FFFS, Market in Company Market and Company Market in Compan	190.000 pcs. par day 220.000 mass par day 220.000 mass par day 220.000 mass par day 220.000 mass par day 220.000 mass par day 220.000 mass par day 220.000 por day departing on the model and lakes  Lakes rading, seeing and assembly based on provided mass dates in Protected and Enterview dates to Protected and Enterview 220.000 mass particular dates to Protected and dates to Protected and Enterview 220.000 mass particular dates to Protected dates to Protected and Enterview 220.000 mass particular dates to Protected dates to Protected and Enterview 220.000 mass particular dates to Protected dates to Protected and Month Section Disparets on product (1.6.—from static dates—co. 40.0000a) 220.000 production coupoids par day 220.000 production coupoids par day	Types More PP Nature Storms (19) and 19 Natu	Invalidation of Machines, Relocation of Machines for the Production of medical Extensions, sound to tables and construents. Also in others conserved of the second to table and construents. Also in others conserved of the second to table and the second to table and table and table and tables and tables and tables and tables. The second table and tables are desired for the second table and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables are desired tables. The second tables are desired tables and tables are desired tables and tables are desired tables. The second tables are desired tables and tables are desired tables and tables are desired tables.	Some additional machinary	here is manufactured to be provided packaging and the provided packaging and the provided packaging and the provided packaging and the provided advantages.  Another for production of FFF2 masks and Surgical masks of non-section of the FFE2 masks and Surgical masks.  ADDRESS OF SEX SEXTERED MATERIALS.	Nating for BPERFE and investeding for both casegory of makes FFP2 and surgical	for ENANCED TEXTS E MADE providing charmonly for the older law distincted seamers by the older law distincted seamers by the older law of the made law of the made law of the made law of the made stocks on well as for mass production for small seeks on well as for mass production for small seeks on well as for mass production for small seeks on well as for mass production for small seeks of the made law of the mass production for small seeks of the manufacture of th
2464/2020 2364/2020	188 187 188 188 188 188 188 188 188 188	SCHOLPF Green STRUBL Green A Co. KO Fathers Report PATE Fathers Struber of Struber Fathers Struber of Struber Fathers Struber of Struber Fathers Struber of Struber Fathers Struber Fathers Struber Fathers Fa	Germany  Commany  Studgets	Indicate for people of shiple one Madula of people of shiple one Madula of people of shiple one Madula of people of shiple of	198.000 pcs, per day 200.000 mass per day 200.000 mass per day 200.000 mass per day 200.000 mass per day 200.000 mass per day 200.000 pcs day depending on the model and dates.  Linear cutling swamp and assembly based on provided mar- manifest as 1900 per was based on aperfusion, production and in characteristic as 1900 per was based on upon fusion provided and in characteristic as 1900 per was based on upon fusion, production and in characteristic as 1900 per was based on upon fusion provided and in characteristic as 1900 per was based on upon fusion provided and in characteristic as 1900 per was based on upon fusion provided and in characteristic as 1900 per was based on upon fusion provided and the characteristic assembly 200.000 per malantion or quinting per day 200.000 per malantion or quinting per day 200.000 per see face 200.000 per la characteristic per day 200.000 per la characteristic	Type One Per Name Visions Signing Fine layer PP Name Visions Signing Fine layer PP Name Visions 2 x 200 x 3 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	Invalidation of Machines, Relocation of Machines for the Production of medical Extensions, sound to tables and construents. Also in others conserved of the second to table and construents. Also in others conserved of the second to table and the second to table and table and table and tables and tables and tables and tables. The second table and tables are desired for the second table and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables are desired tables. The second tables are desired tables and tables are desired tables and tables are desired tables. The second tables are desired tables and tables are desired tables and tables are desired tables.	Some additional machinary	Resist one make for sex 100,000 meaks and der  Assist one make his new to be provided packaging  model by provided administration of  makes and the provided packaging  model by provided administration of  models of more models of  models of	wadring for BPE-PPE and invasheding for both-casegory of makes FPP2 and surgical	to EXPANCED TEXTLE EAGLE providing charactery to the outer law definencedual seasons in the outer law definencedual seasons in the outer law definencedual reasons in the outer law definencedual control services on seal on for manus various to manus various to manus various to manus various control services.  This have automated coding is decoming another law definencedual for promotion for manus various and outpress to design promotions for general losses provided to the promotion for general losses provided to the promotion for general losses provided to the promotion for general losses provided to the provided to the provided to the promotion for general losses provided to the provided to th
24842000 22842000 22842000 23842000	188 187 188 188 187 188 188 187 188 188	SCHOLEP Gussel STRUES, General Co. KO Fashen Sepsiy PLTD Fashen Sepsiy PLTD Annes Studens SRL Circulations SRL Circulations SRL Circulations SRL Circulations SRL SRL Circulations SRL SRL Circulations SRL Circul	Germany  Commany  Studgets	Indicate Company), striple con- Markoth and Prison an inscision of markoth and prison and property. The Ear Markoth and prison and p	100.000 pers par day 250.000 mass par day 250.0000 mass par day 250.000 mass par day 250.000 mass par day 250.0000	Type More PP Nature Science 2 a Signitir - shortwasted: False lawer PP Nature Science 2 a Signitir - shortwasted: False lawer PP Nature Science 2 a Signitir - shortwasted: False lawer PP Nature Science 2 a Signitir - shortwasted: False Lawer PP Signitir - shortwasted Control of Nature Lawer PP Signitir - shortwasted control a shortwasted control of Nature Lawer PP Signitir - shortwasted control of Nature Lawer PP Signitir - shortwasted control of Nature Lawer PP Signitir - shortwasted control of Nature Lawer PP Signitir - shortwasted control of Nature Lawer PP Signitir - shortwasted control of Nature Lawer PP Signitir - shortwasted control of Nature Lawer PP Signitir - shortwasted control of Nature Lawer PP Signitir - shortwasted control of Nature Lawer PP Signitir - shortwasted control of Nature Lawer PP Signitir - shortwasted control of Nature Lawer PP Signitir - shortwasted control of Nature Lawer PP Signitir - shortwasted control of Nature Lawer PP Signitire - shortwasted control of Nature Lawer	Invalidation of Machines, Relacation of Machines for Psychological of market Construction, Make in Market Science (1997), 1997.  CET, was reporte, contributions for all material used in the product.  Yes for special models Counter-conflictly products available on demand CET, CETTER CATION  CHAPTER, REACHT conflictles  COUNTER, REACHT	Some additional machinary	Bacic car materials raised to be provided perhapsing could be provided perhapsing could be provided automorally could be provided automorally could be provided automorally could be provided automorally could be provided automorally could be provided automorally could be provided automorally could be provided automorally could be provided automorally could be provided automorally could be provided automorally could be provided automoral could be p	Nating for SPE-SPE and brautholding for both collegacy of males IPP2 and surgical	to EXPANCED TEXTLE EAGLE providing charactery to the outer law definencedual seasons in the outer law definencedual seasons in the outer law definencedual reasons in the outer law definencedual control services on seal on for manus various to manus various to manus various to manus various control services.  This have automated coding is decoming another law definencedual for promotion for manus various and outpress to design promotions for general losses provided to the promotion for general losses provided to the promotion for general losses provided to the promotion for general losses provided to the provided to the provided to the promotion for general losses provided to the provided to th
2464/2020 2364/2020	188 187 188 188 188 188 188 188 188 188	SCHOLPF Green STRUBL Green A Co. KO Fathers Report PATE Fathers Struber of Struber Fathers Struber of Struber Fathers Struber of Struber Fathers Struber of Struber Fathers Struber Fathers Struber Fathers Fa	Germany  Commany  Studgets	Indicate for people of shiple one Madula of people of shiple one Madula of people of shiple one Madula of people of shiple of	198.000 pcs, per day 200.000 mass per day 200.000 mass per day 200.000 mass per day 200.000 mass per day 200.000 mass per day 200.000 pcs day depending on the model and dates.  Linear cutling swamp and assembly based on provided mar- manifest as 1900 per was based on aperfusion, production and in characteristic as 1900 per was based on upon fusion provided and in characteristic as 1900 per was based on upon fusion, production and in characteristic as 1900 per was based on upon fusion provided and in characteristic as 1900 per was based on upon fusion provided and in characteristic as 1900 per was based on upon fusion provided and in characteristic as 1900 per was based on upon fusion provided and the characteristic assembly 200.000 per malantion or quinting per day 200.000 per malantion or quinting per day 200.000 per see face 200.000 per la characteristic per day 200.000 per la characteristic	Type One Per Name Visions Signing Fine layer PP Name Visions Signing Fine layer PP Name Visions 2 x 200 x 20	Invalidation of Machines, Relocation of Machines for the Production of medical Extensions, sound to tables and construents. Also in others conserved of the second to table and construents. Also in others conserved of the second to table and the second to table and table and table and tables and tables and tables and tables. The second table and tables are desired for the second table and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables and tables are desired tables. The second tables are desired tables and tables are desired tables and tables are desired tables. The second tables are desired tables and tables are desired tables and tables are desired tables.	Sures additional machinery Subdata Material to croskure mastes	Resist one make for sex 100,000 meaks and der  Assist one make his new to be provided packaging  model by provided administration of  makes and the provided packaging  model by provided administration of  models of more models of  models of	Nating for BYERFE and investigating for both casegory of master FFP2 and suspicel	to EXPANCED TEXTLE EAGLE providing charactery to the outer law definencedual seasons in the outer law definencedual seasons in the outer law definencedual reasons in the outer law definencedual control services on seal on for manus various to manus various to manus various to manus various control services.  This have automated coding is decoming another law definencedual for promotion for manus various and outpress to design promotions for general losses provided to the promotion for general losses provided to the promotion for general losses provided to the promotion for general losses provided to the provided to the provided to the promotion for general losses provided to the provided to th





## Disclaimer: y submitting the form, the submitter have agreed to make publicly available the information provided. The sole responsibility of the sole respo

EURATEX - COVID-19

1-19

03/04/2020	95	Kunszov Textilruhazati Kft	Hungary	Medical (surgery)	daily 1000 piece	NA NA	NA.	we need the material and the accessories for the mask (subber parts atc)	every material you want in the mask	NA.		we can sew any kind of personal protective equipment that can be made with textile machinery
03/04/2020	26	Solvey Specially Polymera	Belgium	FFP2, FFP3, Medical (surgery)		Non-woven filtration membranes for manufacturing of FFP2 and R. P. The State of FFP3 masks. In the state of FFP3 masks. In the state of FFP3 masks. In the state of FFP3 masks are stated from the state of FFP3 masks and state of FFP3 masks are stated from the state of FFP3 masks and state of FFP3 masks are stated on the state of FFP3 masks are stated from the state of FFP3 masks are stated on the state of FFP3 masks are stated on the state of t	Manufact grade plastics with 150110923 biocompatibility testing and Manter Access File with FDK. Extensive technical, regulatory and supply chain support to accelerate time to market.					
03/04/2020	97	Rose KFT	Hungary	Mecidal (surgery)	we can produce 20.000 pieces / week	from makeful carrington	bestized AC 60 livine, enthication and set settlemental trivin, in the time and as a former invested at seaso, but in sigh hygione enquirements of the reductive, Seatleader 80 liver of their settlements of the reductive, Seatleader 80 liver of time settlements properties by containing short ince maked and make heating territoria center is years, for of enter particular the design provides in maked an authorised properties and as not settle choice for faithers used in notice of the settlements and as not settlement and as n					We are producing overal, and also mask from material medical
03/04/2020	98	Omniteksas, UAB	Lithuania		50,000 pcs. per week		Sanitized AG ® silver, antibacterial and antimicrobial finish.					double layer fabric mask, treated with Silver Ion treatment
03/04/2020	99	Unicom Work Kilt	Soain Hungary	Medical (surgery), Community Medical (surgery), Community	finished stitched maskd or knitted 100% ooliorooilene fabric 2000 db/nap	remaid +00% polipropleme tabric in 150 and 300 o/m2		sétchina needs	elastic laces			in chase of homolocation as medical masks
03/04/2020	103	Caizmerik és Társa Kft. H-1211 Budapest Collell & Garcia sl	Hungary	repe, FFP3, Medical (surgery) repeatedly usable face mask 100 % cotton white, two pty, disinfectable Medical (surgery) Medical (surgery), Community Mode	10000 peaking	no knitted 100% polipropilene fabric in 150 and 300 plm2	no	athlin and	alusia hasa			a share of hereshousing
03/04/2020	90	shou	Portugal	CEDO CEDO M. C. C. C.	Variable - To be studied on demand	Different types of elastics and bias						I am Agent for Portugal of Spanish manufacturer / production company
03/04/2020 03/04/2020	102 101	Alesco Solutore SADMITEX INDUSTRIES S.R.L.	Romania Romania	cotton 100% 1, 2 or 3 lavers mask	7000/ week	looking for material	nia NIA	N/A	100% cottons or non-woven fabric NA	N/A		
06.04/2020	104	Print/Vest	Germany	Medical (surgery)					PP Spun bond ron-woven faithre: :Weight 20 g/bm, Width: 17.5cm, in rolls, Color blas, white Required quarrily, 2 few. Woven First Faithre: Weight 30 g/bm, Width: 17.5cm, in rolls, Color blas white Required quarrily; 2 fem. Woven First Faithre: Weight 25 g/bm, Width: 17.5cm, in rolls, Color blas white Required quarrily; 2 fem. Width: 17.5cm, in rolls, Color blas, white Required quarrily; 2 fem. Required quarrily; 2 fem. Color blas, white Required quarrily; 2 fem. Color blas, white Required quarrily; 2 fem.			
06/04/2020 06/04/2020	105	Prvm Fashion GmbH Xin He Textiles	Germany	FFP2, FFP3, Medical (surgery), elastic for earloop	supply most of trims for mask production, elastic earloop,metal nose clio etc.	brass mature / stainless steel e elastic cord for earloop,metal nose clip for surgery mask, N25	908	no		no:		Invest strates for rase-mouth masks
06/04/2020	107	MAB Prom Fashiron GmbH	Sermany Comment	FFP2	3000 pieces per day	latex free celotex class 1 certified elastics/tapes/ribbons for masks (150'000 meters per day)	production of elastic tapes (made in Italy)  REACH / DEKO-TEX		CE cartified fabrics or non-woven laminates, water repellant, with and without mambrans. We can produce makes - we need CE certified materials - ISO UNI EN 14883 - 10993	CE certifications: ISO UNI EN 14683 - 10993 or EU 2016/425 - ISO 149		We can distribute ready/packed masks for medical use
06/04/2020	108	ENLIPA GMBH	Germany	FFP2. Medical (surgery)	Over 100 000	later from nationary place 1 meritiant algority-physical inhuman for	Ce. DEKRA, and Chinese laboratory		CE certified fabrics or non-woven laminates, water renelling with and without membrane. We note			We can distribute ready/backed masks for
06/04/2020	109	GUANGZHOU LIANROU MACHINERY CO., LTD.	Germany	FFP2, FFP3, Medical (surgery)	120pcs/minute, single worker operateble.	Disposable face mask making machine	CE,UL, CSA, COC, AS, SCC					Full-oburated design, dust free, good for sterile free working environment of mask production. Small size for air shipping. Pre-installed.
06.042020 06.042020	111 110	A&G Macation & Son CO. Cristina premier clothing	Greece Romania	protection FFP2. Medical (surgery) Medical (surgery)	10000/day				Material for masks, textile or non woven	Certification for Medical masks made with textile		required Standards, but need connect ion with raw materials suppliers.
06/04/2020	112	Prevent Automotive Romania	Romania	FFP2, FFP3, Other equipments for	Cutting and serving	SIZES	EARLING OF THE STATE STA	Raw materials for cutting and sewing				We have possibility to assure production at
06/04/2020	113	QD GLOBAL INTERNATIONAL S.L.	Spain	FFP2	900.000 units daily	FACE MASK KNIS / FFP2. DISPOSABLE BREATHABLE MASK WITH SOFT, HIGH-QUALITY FINISHES. ELASTIC STRAPS TO ADAPT TO DIFFERENT FACE SHAPES AND	*5 LAYER STRUCTURE * SUITABLE FOR SESTIVE SKIN * FILTRATION EFFICIENCY 95% * CE (UNE ENI 49-2001-A1-2009) * FDA (10063941) * EXECUTION STANDARD (GB2626-2009)					Spanish company based in China. Capacity to produce 300,000 units per day. Air DDP service.
06842020 06842020	114 115	Eing Teotilveredlung und Handelsossellschaft mbH & Co. KG Proformator R I Kaits Pro SRL	Romania	FFD2 FFD3 lexile	5000/dav				Terrininal Fahrins for resolution mastes			materials for medical products.
07/04/2020 07/04/2020	117	Hindu - Technical Textiles	Portugal Germany	Medical (surgery)			Technical Teotile finishing for knit, woven and nonwoven like water repetent, blocos ranature and harterial axen and viral rhaminal finishinn	Manufacturer of ready-made clothes				able to finish, cost, dye, wash and bleach
6784/2626	118	Rescomet	Belaium	sheets FFP2	5000	100% polivisiter non woven	Testeinal Vandle feithing for tell severa a		Certified material			
07/04/2020 07/04/2020	120	GIVEC LIVAS CLOTHING SRL	Portugal Romania	Mick FFP2.FFP3. Medical fauroervi FFP2.FFP3, Medical (surgery), coveral, footwear protection, Bed sheets FFP2								
07/04/2020	121	FCI Clothing Ltd	United Kingdom	General Protection Anti-Microbial Mask	5000 Pcs	lasting hygiene. 3Pty Anti-Microbial Mask (Re-usable)	Will provide a third party testing certification from a EURATEX certified bodies	N/A	NA	N/A.		
07/84/2020	122	CAD Studio j.d.o. a.	Crossis	DIY cotton double layered masks	20.000 pcs www.edisely, later cost 5.000 pcs a week	polyambrone to achieve water resistence and renore behalfulled.  They we processed against life, long and bacteria and measured such as \$0.775.CRS 5, DH 50 1225.  The production is carried out in accordance with EE/ACH and has production in earlied out in accordance with EE/ACH and has production in earlied out in accordance with EE/ACH and has production mean't behave its analysis of the accordance of the confirms that has seen admissist usual on an or hermful to the state.  Materials considered the seen admissist to a seen and a 25°C and seen accordance of the seen and seen and seen and seen accordance to the seen and seen and seen accordance to the seen and seen accordance and seen and seen accordance and seen accordance and seen accordance and seen accordance and seen accordance and seen accordance and seen accordance and seen accordance seen accordance			Then, soft, rounded elissific, 2-3 mm in radius, white color			
				runcerified)		Medical technical cotton fabrics and/or high eliastic polyaster and polyamide knitted fabrics, coated with special polyanethanes to achieve water resistance and ensure						
07/04/2020 07/04/2020	124 123	9000 s.ro. PIRIN-TEX ECCO	Czech Republic	re-usable, sterifisation by boiling, GOTS certified cotton - 2 lavers Textile masks for general use (uncertified)	15 000/day 30 000 pcs./day					Certification for healthcare use.		
07/04/2020	125	dna merch Wundrak & Zelmer GbR	Germany	reusable, washable face masks made from 100% cotton, organic or oekotex 100	made from 100% cotton, organic or celebra 100. Severing takes place with dignity in a worker-owned cooperative in Croatia. Production time approximately 1 day for 500 masks.							
06/04/2020	126	Veri Style Ltd.	Bulgaria	Medical (surgery) reuseble, washable face maska	sugment, July Judgment, 1994 graphent, rices capie on seminare are Jude Internal Coline of Stimulatio. 500 pcs of May 1 fely full cover Communicibile sizes Seminare SEMILEX.DUX.DUX.DUX.DUX.DUX.SEMILES SEMILES AND SEMINARE Appear and paper cover with double size glue lime, hands and lega bands, also available with intergrand size must have deep roduction capacity for invasibile, washholds for seminare sizes with dipshy in a worker-covered cooperative in Circuia. Production has separated by the production of the seminare for 100% community of the production of the seminare place with dipshy in a worker-covered cooperative in Circuia.	500% Sparbond non-woven with certificate from producer Possible usage on demand other materials provided by customer.	Laboratory test - water resist and waiting for Official test and medical ISO	Utrasonic mechine for band mounting Reasonable price for full mechine equipment for mask production Flasher certification and test on products	100% SMS or spurbond material 17,20,40,60,80 griupm please send us prices.	Faster certification and test on production, also full consultation on flatiest procedures to create a full fail of certificates for medical and PPE product - makes, great, bed coverus, protective calcurus etc. we seek to produce full range of PPE from non-worsen flaties.		We can produce masks same like medical 3 ply but still waiting for certificate
68847076	127	Camia e Camia Ma	Protonal	Martinal fournass)	situation. 1700 units mar washi 25 000 pcsil day Ippa Medical Surgery face mask 3 ply (1 ply 40grisqm, 2ply 20grisqm, 3ply 20grisqm, noise clips on demand an 2 ear bard ) Carton box of 50masks.	Rossinn	Nima	Nives	Cinth Roselana	Ninna		
08/04/2020	128	Huntaman Textile Effects	Switzerland & Liechtenstein		Comprehensive range of Barrier Effects for both nonwoven and woven medical applications, including facemasks and Personal Protective Equipment (PPE), meeting the critical needs of the characters.	Non-Fluorinated Durable Water Repetients (PFC-Free), Fluorinated Oil & Water Repetient (PFC) chemicals, ansi- static agents, extenders and dedicated wetting agents.	All European Standard and Safety & Health regulations					Chemical products necessary for the pretreatment/production of all of those
09/04/2020	130 129	Gahr Widarh Tavilhenarlinen GmhH Fizhabek Fulda GmbH & Co KG	Germany	Nonwoven for Mouth - Nose - Mask & Moth-Nose Masks	Masks: 60 000	all binds of filament vario anti-mirrohial trasmants ap. 20.000m <sup>2</sup> by week	IROsens / OFKOTEX son Airpernilly, Bubblepoint, MFP as an factory certificate Masks: certification in process at Hoherstein					your combir dualing and treatments
09/04/2020	131	Taubert Textil GmbH, Moosstraße 100, 85356 Freising	Germany			breathable knitted fabrics in 100% cotton, blenda BW/PES, 100% polyester ambacterial finish, C6 and C8 finish; suitable for boil wash						
09/04/2020	132	DE NAAIFABRIQUE	Netherlands	clothing sewing machines is able to produce	per day	breathable knitted fabrics in 100% cotton, blends BW/PES,		We have the production facility	protective material in order to produce facial protective masks	right certification and testing		
09/04/2020	133	Mrage Ltd	Bulgaria	FFP2, Any type of mask that a clothing sewing machines is able	700-1500 per day  Depending on the type of mask, we will be able to produce 5000pc per day		Depends on material used		Material for surgical mask and FFP3	Certification need		FFP2, Testile Reusable Masks and Aprora, own production or production with customer's materials
09/04/2020	135 134	RAFITEXTIL DTT 3.8. S.L.U. SEW TEXTILES	Spain Spain	Medical (surgery) FFP2	20,000 pieces per week 15		EN1492001 + A12009					FFP2. Textile Reusable Masks and Aprons. own
09/04/2020	136	ADMIKS LTD	Bulgaria	for Moster modificate-mask Medical (surgery), 3 ply textile mask with filter from nonwoven textile, recessible mask Medical for mask	1000 pcs per one day					Yes		
10/04/2020	138 137	Mattes & Ammann GmbH & Co KG Neutex Home Devico GmbH	Germany	FFP2, Medical (surgery), Textiles for Maste mouth-rose-mask	fabric for masks 3000 per day	Knitted fabric for masks > 1 mio sqm PES-Norwoven	fabric accdording to: DIN EEN 10993-5, DIN EN 14683, DIN EN ISO 9237 pendine					
1004/2020	140 130	NIRR MINE G95	Romania Spain	FFP2 FFP3	rution and savina 200,000	100,000	Gear with Certification FFP2 Protection	naw materials for ruttion and service Underlying fabric with protective qualities (contraint)	Teotile for the final clothing	Almady cartified		We have the possibility to supply materials with ECO TEX certification
1484/2020	142	UMEHEAL LISI BG TEX NOVA LISI	Germany	FFP2, Medical (surgery), KN95, alove, oown, ooode, face shield Medical (surgery)	506k/dav  I million posiday for medical mask and 200k posiday for NSSFFP2/KNSS  1000 pcs per day.	glove MOQ 500k, goven MOQ 500k, goggle MOQ 100k, face shield 100K offer stitching, packing, shipment	EN 14683 : 2019 / EN 149:2001 + A1:2009 We alos provide consultant services to help manufacturers for FDA 510k and CE-MDD test and certificate.		Need more BEF93 and PEF95 melt-blown materials need materials	Need NS (notify body) for EUA partnership Testing, sertification		We have the possibility to supply materials with
14/04/2020	145	J. Mulchand & Sons Ltd	Germany	development and certification for medical products (masks) FFP2. Medical (surgery)	up to 20,000 per week 500k/day		EN 14883 : 2019 / EN 149:2001 + A1:2009					
14/04/2020	146	Blanke textech GMBH	Germany	Nonsoven for fitration and medical apolications consultance for supply chain management, product development and certification for medical products (masks) FFP2. Medical (surgery), KN95, olive. open. goods. facis shield	up to 20,000 per week	up to 50.000qm per week	16494, 5001, Techtex lab	200 per month				
14/04/2020	148	Innoventia One NV	Belaium	FFP2 Nonvoyen for filtration and medical				10000	pieces per week exhalation valves	by a certified laboratory.  Certification of finished products according to EN 149: 2001 + A1: 2009  Certification		
1484/2020	151	Cooperative Cluster	Bulgaria	FFP2, FFP3, Medical (surgery).	100 000 masks per day / each type				innovative reusable fabrics according to the requirements of FFP1, FFP2, FFP3 valves according to EN 149/2001+A1/2009 50 000 pieces per week	Liaboratory analysis for compliance with a harmonized standard class FFP2 and FFP3 by a certified laboratory.		
14/04/2020	144	Peterseim Strickwaren GmbH TEJIDOS REBES SL	Germany Spain	Medical (surgery), testing fabrics for FEP2 and FEP3.	10.000 per week more than 4 milion meters of fabric	cut and sewing capacity  Fabric woven and non woven with PU	none being tested in AITEX					
	147		Jugana	mask with filter from norwoven textile, reusable mask) Civilian/ woven and norwoven FFP2, half face mask for private								
14/04/2020	147	DAF Spot LTD	Butania	FFP2, FFP3, Medical (surgery), Medical (surgery), 3 ply textile mask with filter from nonwoven textile, reusable mask) Civilian/ worse and nonwoven	5000 per day							
14/04/2020	150	Erim LTD Seentis Pte Ltd	Bulgaria Switzerland &	FFP2, KN05; Disposable surgical mask FFP2, FFP3, Medical (surgery)	5000 daily 100-200 000/day	Please request for quotation	All CE and FDA certified			certification		
_11_11_		1	1	1				1		1	1	



EURATEX					pro	By submitting the form, the submitter have agreed to ma vided lays with the submitter, EURATEX cannot be held re	Disclaimer: ke publicly available the information provided. The sole responsibility on the inf aponsible for the contents provided nor for the use which may be made with th	ormation ose contents .			EURATEX - COVID-19	
03/04/2020	24	TEJIDOS ACABADOS TEYCU	l <sub>a-r</sub>	1	i I	NON WOVEN, TERRY COTTON OR PES JERSEY LAMINATED WITH WATERPROOF FILMS (PU, PE OR PYC-FREE PHTALATES)		l	l .		1	INDICATED TO PROTECTIVE CLOTHING OR MATTRESS PROTECTOR
03/04/2020	93	(DEMEDRAND)  RISE Research Institutes of Sweden A	opan	FFP2. FFP3. Medical (surgen).		PVC-FREE PHTALATES)	https://www.ri.se/en/white-we-do/services/testing-protective-devices					MATTRESS PROTECTOR
03/04/2020	92	PEVITEX SRL	Romania	FFP2, FFP3, Medical (surgery), other PPE and protective clothes Protective face mask.	1000 piacers	Taxtile fabric	https://www.ri.se/en/whel-we-do/services/testing-protective-devices Tristing of products and devices, in ocoperation with the Swedish Dafence Research Agency, according to EN 149, EN-19O 20743, EN 14683, EN 1500 och EN 1499 Oncoled procisis					
03/04/2020	91	LATINO CONFECÇOES LDA	Portugal	Eashable, reusable, made of PES/ESD fabric	20.000pcs/week	Hospital uniforms, Curgical gowrs, aprons, coveralls (all weahable and reusable), Bed linen, bath linen, surgical drapes and covera	Mask Certification pending from Altex/Spain					
03/04/2020 03/04/2020	89	Elaspir S.r.l  Berry Global	Italy Spain	Medical (surgery)		Easter year, 620 Dax (550 Dax), 940 Dax (840 Deal, and other consent distinction.  Those seases that produce melation maken for FP2 and FP57 make any Englishyl low outners asset and fully utilized until the set of the year min. Six have developed a fall line for necessary and the sease of the part min. Six have developed a fall line for necessary line.  We achieved the firstoon efficiency (BFE-205%) according to the Sease of the S						nonsoven producer and also a producer of malibbown material for the production of face making
03/04/2020	87	Stoff-CornEXion.de UG (haftungsbeachränkt)	Germany	FFP2, FFP3	100000	100% cotton or Polyamide	FFP2 (equal to N35 or KN 95 and FFP3	on demand	100% cotton	on demand		Production in the Federal Republic and disposibles.
03/04/2020	86	A&E Gütermann	Germany		We are willing to invest in production machine(s) in our facilities in	Filaments, core spun and texturized sewing threads for medical applications						Sewing Threads We are only interested in a sustainable business
03/04/2020	85	imeco GmbH & Co.KG	Germany	Medical (surgery)  CANVAS & STOFFE Co or	Germany and/or Poland IF we get mid-term agreements to supply reasonable minimum quantities at fixed agreed prices.			Find adequate machinery with high automated output	meliblown to make masks according to EN 14683			and not in short term profit generation out of the current situation
02/04/2020 02/04/2020	83	STAR TREND COMPANY SRL	Romania	COPES TEXTILE MASKS MADE OF NON- STERILE FABRIC 105% cotton or 65%polyester-35%cotton; bias tapes, streight out tapes	1000pcs/day	OF carross reday for shipment or in GRAY FABRIC.  100%cotton or 85%polyester-35%cotton, non-sterile fabric	NA.		looking for partner to supply insterials with certificated filter factor			
02/04/2020	82	Industries Ponse	Spain	FFP2, FFP3		Elastic and non elastic topes and cords for use in the production of masks.  Webbing and takes for masks, medical suits and equipment.						Webbing, tapes and cord (elastic and non- elastic)
02/04/2020 02/04/2020	81	CLOQUER S.A. JSC Kuncienes	Soain Lithuania	Medical (surgery) Medical (surgery)	25,000 masks/week 10,000pcs per week	Main Jersey, interline mesh, antibacterial OR surgery masks	Andread and America		lookinf for material for surgical masks			
02/04/2020 01/04/2020	79 78	Atelier Diana Caramaci SRL D JSC Audimas	Romania Lithuania	Medical (surgery) general protection masks, washable made of knited fabric	500 10 000 psc in stock 2020 03 31, we can produce 10 000 psc in 4				looking for material material			
01/04/2020	72	JSC Audimie	Lithuania	washable made of knited fabric Medical (surgery)	day 10 000 psc in stock 2020 03 31, we can produce 10 000 psc in 4 day	we can produce medical (surgery)masks, only need proper	100		we would need material			
01/04/2020	77	PRINT IDEEA SRL	Romania	FFP2, FFP3, Medical (surgery)		offering chemicals for antiviral & antibacterial textile treatment	Antiviral technology & antimicrobial textile treatment - 10.000 m/day.					
618479096 618479096 018472020	76 75 74	FLIBOCONSTRUCCIONES 2014 S.I. Filtratux Components TEXTIL SANTANDERINA, S.A.	Spain Spain	Moderal formate) Protection with filtering material	40 000 series nor day 100 per day	marked mask IIP Finished fabric for face mask production	AITEY FIRMEINS	material certified				Avda.Tdextil Santanderina, sin 39500-Cabezón
01847000	73	CERTIMPEX SRL FOCSANI	Romania	FFP2.FFP3	600.000 piaces per month	non woven 100% polypropylene	DIN- EN 149: 2001	FFP2 FFP3	non woven 100 % polypropylene	testina, certification		Avda:Tdextil Sentanderina, s/n 39500-Cabezón de to Rel (Careabria) Rosan An offer as well the corresponding technical data
01/04/2020 31/03/2020	71 70	AHLSTROM MUNKSJO SC MODA-MISS SRL SUCEAVA	France Romania	reusable textile mask	2500 ocsidar	Nonwovens for cover stock layers and mask lace textil+int			trit			shade ran he sent immediately
31/03/2020 31/03/2020 31/03/2020	68 67	Balutextil Malhas e Confecções: SA DON AND LOW	Portugal United Kinadom	cotton fabric, woven and knitted FFP2, FFP3 FFP2, FFP3	Unknown	white cotton fabric. 80.000m available Cutting sewing packing SPUNBOND	N/A	Raw Fabrica	Raw Fabrica & sech packs	Info about needed testing and certification		
31/03/2020	88	S.A. Rubi Industrial	Spain	FFP2		laxidi-Mr white cotton fateric. 80.000m available Cutten sewing osciking SPU-MSOND Needlepunched normoven, different weights. Currently providing 100gam to face mask manufacturer. The material so providing low filtering properties but gives stiffness to the final composite.						
31/03/2020	65	Salvador Figueras, S.A.	Spain	Elastic ribbon, ribbon, cotton		final composite.  Elastic ribbon, ribbon, cotton ribbon, biais, cotton biais						You may check some of our industrial ribbons at
31/03/2020	64	SOFIAMAN IMPEX SRL	Romania	ribbon, bials, cotton bials Medical (surgery), possibility to produce different protective clothing	5000 pcs of masks daily or different clothings			Spurbond and meltblown materials	Raw material for protective clothing	testing, certification		That I can be a second to the second
31/03/2020	63	Boxmark Leather d.o.o	Slovenia	Medical (surgery), washable and reusable face mask	Sewing capacity of approx 6000 - 8000 pcs per day in plant Boxmark Stovenia. Additional capacities in Boxmark Croatia are				Certificated material for surgery face masks - requirements EN 14683.			Production of protective surgery masks that are already developed and certified (EN 14683).
31/03/2020 31/03/2020	62	FNDMT Lipperini & C. s.r.l.	Portugal	FFP2 Medical (surgery), Protective mask	possible. 15.000/day			Ready for customer orders in need for particular yern used for the masks		Support for FFP3 certification		Our mask are washable and they're composed
31/03/2020	60	SMSerra Lda	Portugal	Medical (surgery), head coverings	Own sewing production lines with capacity of approx for 1000 masks/day		Oekotex certification	an insect for paracolar year cases for one insects	Non woven fabric, breathable and waterproof; TNT fabric			hy materials used in sofety serving Available for production; Sourcing for certified fabrics.
31/03/2020	59	Latino Confecções Lda	Portugal	FFP2 washable masks ( oertification in progress)	20,000 per week	can also supply		We can comply		Citave in Portugal		Sabrics. We can also supply Gowns, Cogula, Aptons, shoe cover etc. water and virus proof material which can also be weated in 60 degrees and record.
30/03/2020	57	Comazo GmbH & Co.KG	Germany	texile masks double layer	we are a fully staged company with own sawing departments in Rumania. Croatia and Boaria we are a fully staged company with own sawing departments in	cotton certified: IVN BEST, GOTS, fair-for-life						
30/03/2020	47 38	Comizzo GmbH & Co.KG Preformatex	Germany	FFP2, The masks can be re-	Rumania. Croatia and Boania 400.000/month	different kind of fabrics				FFP2 testing and certification		
30/03/2020	58	lbb GmbH	Germany	cotton, boil-proof, not certified	2000 to 2500 per day	100% cotton	None					No materials and no supplies are currently needed. But you could supply us with certified materials so that we can sew them.
30/03/2020 30/03/2020	56 55	Gebr. Elmer & Zweifel GmbH & Co. KC Textil do Marco. SA	G Germany Portugal	community masks community masks	50,000 /week	many different fabrics (crosnic cotton)			looking for material with certification			materials so that we can saw them.
30/03/2020	54	3D Certer AB	Sweden	community makks FFP2, FFP3, Medical (surgery), Any part or product produced in Bases	Total 3D production of 5 kg per day, Masks about 25 per day	Polyamid 12, A durable nylon polymer, Durable and chemical resistant.						
30/03/2020	53	Caremil SRL	Romania	Medical (surgery)	We can produce (sew) surgical masks, capacity 25000 pcs/day. We short have the false-				Row material for surgical masks (filtering 1 micron materials)  To make this facial mask we are in the need of FFP2			
30/03/2020	52	conTeyor International	Belgium	FFP2, protective aprons	conTeyor has a big production capacity in Poland and Moldova for stitching of facial masks or protective aprons				material to start making the masks or textile suitable for protective acrons			
30/03/2020	51	FOV Fabrics AB Harper Hygienics S.A.	Sweden Poland	Medical (surgery), Polyester materials for, surgical clothing, protective clothing against agents and chemicals, personal and patients, bed liners FFP2, FFP3		Productions capacity of 100 000 meters/week, we also have som articles on stock.  Meterial in composition 40% pulp/60 % polypropylane, basic waight from 30 csm.	EN 13795, 14126, 14605					We produce both polyesiter and polyamide materials
30/03/2020 30/03/2020	49 48	PROZIS Olimpio Minanda, Lda.	Portugal Portugal	FFP2 FFP2		weight from 30 asm			Non woven for FP2 masks filtering laver supply material for mask and other medical items			
30/03/2020 38/03/2020	46 45	5D - Denim development and production LOPES & CARVALHO, Lida	on Portugal Portugal	FFP2, FFP3, Medical (surgery) FFP2	unknown 1000/day (approx.)	sourcing for material supliers		materials, components and tech files	materials, components and tech files certified material for the production.	need for labs to test		
30/03/2020	44	Carjor SA	Portugal	FFP2, fabric masks	TOOLOW INCOME.			1000 PER DAY	ANTIBACTERIAL FABRIC or TNT			we have capacity of production but we need the certificated fabric
30/03/2020	43	Fiberweb Berlin GmbH	Germany	FFP2, FFP3, Medical (surgery), spurbond, media close to surgical masks		FFP 3, FFP 2, FFP1, BFE 2, BFE 2R, and closed , PP spurbond	Testing equipement: Palse, Lorenz, TSI					
30/03/2020	42	Mondi Group	Germany	FFP2, FFP3, Medical (surgery)	currently in final planning	supplying carded thermobonded nonwovens phobic and philic at 20to/day available capacity and elastic alternatives to ear loops.						washable safety covers for Stryker-type of
30/03/2020	41	Mediseam Oy	Finland	Medical (surgery), possibility to produce different types of masks.	Depending on type of masks. Surgery type of masks: app. 500- 1000 per day, or more if necessary.	Material for app. 50.000 surgery masks available on few day notice.		machinery and expertise ready.	having supplier who has some material in stock, but for larger quantities of masks would of course require more filter materials.	filters have been tested and approved in other applications, but not in safety / surgery masks as we have not produced these.		washable safety covers for Stryker-type of ambulance beds for local Fire Department. These covers can prevent the actual ambulance bad from contamination.
30/03/2020	40 39	CREACIONES EUROMODA S.L. tapizados j. mayo. s.l	Spain Spain	FFP2. FFP3 FFP2, Medical (surgery), ropa hospitalaria (hospital clothing)	2.000cs dav 1000/daily	Medical face masks	Certified masks			certification		
30/03/2020 30/03/2020	37 36	LUIS BRITO TEXTEIS SA DNT Non Woven Fabrica S.A.	Portugal Spain	FFP2, Medical (surgery) Medical (surgery)	200 units/day				breathable non-woven with filtration efficiency on particles smaller than 0.3 micron Meltitiown			
30/03/2020	35	ORSA NW SRL	Italy	Medical (surgery)		NON-WOVEN SPUNLACE (Hydroentanglement) from 40 to 250 gam/sqm, supplied in rolls, water and oil resistant, based on polyester and/or viscose fibers	neko-tex std 100 class II, to be tested for mask application					
30/03/2020	34	360Fashion	Germany	FFP2, FFP3, N95 Kr95, temperature sensor guns, and covid test kits	1m to Smillion	on polyester and/or viscose fibers shipping direct from factories certified fda in china	Fdabe					
26/03/2020	33	Amoni Fashion Manufacturing	Romania	covid test lebs Cotton mask A tiple mask consisting of 100% wool , 100% cotton and a non woven filter in the middle	5000/ day		No		looking for material			We are a manifecturing unit
26/03/2020	32	Νίκος Δάλλας Sartoria		wool , 100% cotton and a non woven filter in the middle	-150-200 per day	Textile companies to produce them			TNT waterproof and breathable with 70g for production of cogulas (protection for head and	test certificate for the materials and effectiveness of mask.		
26/03/2020		University of Minho	Portugal		Cogula - 50 day  To manufacture masks using our sessing production lines currently	Textile companies to produce them the moides in need of a course of anomorphise EEPX over harteria		30 staff newtyrting line available to switch renducting for	SHOUGH'S)			
26/03/2020 26/03/2020 26/03/2020	30 29 28	Endura Ltd SOK No savesio like	United Kingdom Finland Protectal	FFP3, Medical (surgery) FFP2, FFP3 FFP9 Martinal (surgery)	used to make cycle clothing 500 000 units ikpl. sti	in need of a source of appropriate FFP3 spec bacteria filtration material suitable due surgical FFP3 masks		masks	Appropriate materials  Non-security fabric breathable and waterment 70mm	NA .		
26/03/2020	26	Texa Sri Tibor Möller	Italy Germany	Medical (surgery)	sewing capacity of approx 500 masks / day	20 som/day of antiviral cooper/polyester filtering fabric			Non-seven fabric breathable and watermend 70ms raw material and specification / product sheet	product needs to be tested by an authorized lab		
26/03/2020	25	SACRESC NEW CITED	Germany	Medical (surgery), BMNS washable	450 per week	100% cotton TEXTILE TEXSILK 190' with certified serosol filtration		supplier who has the "best" possible material, functional material				
25/03/2020 25/03/2020	20	ETISILK, S.A.	Spain	FFP2 cotton - mask		TEXTILE TEXSILK 190' with certified aerosol filtration afficiency of more than 97%, particles filtration efficiency more than 90%						
25/03/2020	23	WONNEBERGER MANUFAKTUR Wendler Einlagen GmbH & Co.KG	Germany	Basic protective masks		100% woven cotton interlining base material (non-fused or fused)	Oeko-Tex Standard 100					
25/03/2020	22	KÖBA Sewifa GmbH	Germany	community masks	600.000 p.m. / 30.000 per day	100% polyester fleece treated fiber-compressing on the outside Velcro adustable - UniSize	Materials ÖkoTex - certified . Mask itself not certified					Individually packed in foil Samples can be sent immediately
25/03/2020	21	Koch alpin GmbH	Austria	FFP2, FFP3, Medical (surgery)		leaser-cutting provided material		Look for material and a file of the shape to be cut, then able to out on owned licest cutter with conseyor and forward cut pieces to some other company for finalizing. Able to process material up to 1500 mm width on rolls up to a diameter of 500 mm on a 76 mm core.				
25/03/2020	19	De Ruyck Paul nr	Belgium	Medical (surgery), all kinds of protective sewed garments	Belgium: 1000 piecesiday Turesia (after lockdown): 3000 piecesiday (Mumber of ciecesiday, if we don't produce anythino else)				No fabric available; supplies such as elastics and cords are parly in stock or can probably be provided through our normal suppliers.	Working environment is not antibacterial. Testing and certification procedure will need to be launched.		This is not our main activity. Our main activity is producing all kinds of work- and safetywear (serwed garments).





•

25/03/2020	18	Rusvata LLC	Estonia			20 tons per month 100% natural cotton spuniace	GOTS				rus-vata.com is neady to produces and supplies nonwoven (spunisce) from natural cotton fibers which you can use to produce defended masks
2583/2020	17	Amazon Kit	Hungary	Medical (surpery)	company has serving capacity			Material supply			
25/03/2020	16	Centexbel	Belgium	Medical (surpery)			testing according EN14683				
25/03/2020	15	Fiscatech S.p.a. con Socio Unico	Italy	Medical (surgery)	40k mtq/working shift	material supplied in rolls	TNT version 55 g/m2 - Air permeability L/m2*s 3150 a 300; Change in water drop contact angle a >30  TNT version 115 g/m2 - Air permeability L/m2*s 1850 a 300; Change in water drop contact angle a >30				We can supply TNT 50g version is TNT classic. Version 115g is TNT laminating points with polyethylene glue. Breathable and water resistant
25/03/2020	14	Modespitze Plauen GmbH	Germany	non-certified, version 1: 3-layer (cotton, outside), PP non-woven inside; version 2 in work: using FFP1 certified non-woven			company is GOTS certified, but not for masks; use of FP1 non-woven in planning			actually no certification of process	
25/03/2020	13	TEG Textile Expert Germany GmbH	Germany	FFP2, Medical (surgery)	Medical surgery mask (in 4-8 weeks): approx. 400.000 pcs/week FFP2 mask (in planning, approx. in 3-4 month): approx. 150.000 pcs/week				we are looking for a supplier for the elastic material for the ear loops (round elastic, spandex+PES, diameter 2.5-3mm, 200.000-300.000m/week)		
24/03/2020	12	Triumph AG	Switzerland & Liechtenstein	FFP2	45.000 Masks per day	None - Only production (Sewing) capacity	None		Raw materials / Filter materials FFP2		
24/03/2020	11	Katy Fashion	Romania	Medical (surgery), Single use protection clothing for hospitals	We can offer product development (patterns making/3D prototyping and traditional prototyping) and manufacturing				We need certified for COVID-19 protection fabrics	-	Important note: Production capacity offer is available if national emergency state law allows it due to COV-19
24/03/2020	10	EUROFINS TEXTILE TESTING SPAIR S.L.	N, Spain	Medical (surgery)		TESTING	TESTING FOR EN 14683				WE ARE A TEXTILE TESTING LAB
24/03/2020	9	Olimpias Telatil d.o.o.	Crostia	FFP2, FFP3, Medical (surgery), hygienic not certified	We are producers of knitted garment, with flatbed Shims Selki machines. If this technology is suitable for this kind of production, we are available. Our company count about 400 employees.	no no	no	Look for machinery, and check if our technology is suitable for this kind of production. We could also buy machinery.	We will need raw materials.	We will need external certification.	
24/03/2020	8	Gvs spa	Italy	FFP3					Meltblown and needle punch media for ffp3 folded		
24/03/2020	7	VTT	Finland	FFP2, FFP3, Medical (surgery)			Fitnation efficiency and pressure drop measurements of protective masks (EN 149) and medical face masks (EN 14683) applying standard EN 1822-3:2010 (High efficiency air filters (EPA, HEPA and ULPA). Part 3: Testing flat sheet filter medial.				
24/03/2020	6	Centro Tessile Serico	Italy	FFP2, FFP3, Medical (surperv).						look for instrument to test mask	
24/03/2020	5	Noralin Industries GmbH	Germany	Medical (surgery)	Please send us your orders we are able to offer the final mask and raw material as Sounlace norwoven rolls goods, 20,000 per day					We are looking for test capability of EN norm but for short term test this would be interesting.	
24/03/2020	4	slam Clothing EOOD & CO KD	Bulgaria	FFP2, reusable masks	100000 monthly			we could offer only stitching and packing	we need material	testing, certification	Our offer is for stitching, packing and sending masks. We don't have possibility to supply material and to do the tests.
2483/2828	3	Tinker Design	United Kingdom	FFP2	able to dispatch asso		Disposable Protective Mask 3 lavers and flat shape EN 149:2001+A1:2009				able to supply asso
24/03/2020	1	Project Carola	Germany	FFP2, Medical (surgery)	We are working on an automated production facility capable of producing 50-80 Masks per minute. The Machine will be put on a 20th frieight container to enable decentralized production of face masks.			Knowhow in ultrascenic welding technologies, packaging logistics and materials	We are urgently looking for: + Spurbond and melitibourn fleece materials + Rubber bands for ear loops		
23/03/2020	2	Heyel Equestrian	Germany	cotton masks	500/week				100% cotton fabric		